Description Checked for
Mathematical Accuracy
Athens County
ENGINEER'S OFFICE
BY:
DATE: 5/16/14

Legal Description Pre-Approval APPROVED

All transfers are subject to Athens County Conveyance Standards

MAY 1 9 2014

Jill Thompson Athens County Auditor

## Description of a 20.09 Acre Tract

Situated in Farm-lot #1 and Farm-lot #4 in Section 28, T8.,R.14 Alexander Township, Athens County, Ohio and being a part of a tract of land as described in Volume 136, Page 510 of the Official Records of Athens County and being more particularly described as follows:

Beginning at a stone found at the South-east corner of Farm-lot.#1 and the North-east corner of Farm-lot #4 in Section 28,

thence, along the East-line of Farm-lot #4 and the West-line of Holter, (493-2367 O.R.)

S 3° 46' 53" W, 1416.46 feet to a stone found;

Thence, along new lines created by this survey:

N 87° 01' 00" W, 594.23 feet to an iron pin set;

N 3° 23' 16" E, 1104.42 feet to an iron pin set;

N 20° 14' 48" E, 358.46 feet to an iron pin set;

S 86° 46' 04" E.210.86 feet to an iron pin found:

thence, along the lines of Downard (286-1942 O.R.)

S 85° 28' 46" E,256.53 feet to an iron pin found;

N 04° 25′ 13″ E, 904.57 feet to a point in Williams Road, passing an iron pin foind at 874.96 feet; thence, along said road:

N 71° 15' 09" E, 29.52 feet to a point;

thence, leaving said road and along the west -line of Peter G. Moran (440-1934 O.R.) and Ralph E. Moran (3-842 O.R.)

S 4° 03′ 32" W, 937.96 feet, passing an iron pin found at 20.0 feet,to the point of beginning and containing 20.09 acres of which 0.90 acres are in F.L.#1 and 19.19 acres are in F.L.#4.

Subject to all easements and rights of way of record

Iron pins set are 5/8" by 30" long rebar with plastic I.D. cap Stamped "Branner P.S. 6805"

Bearings based on Grid North N.A.D. 83

The above description is based on a field survey completed March 2014 by

John M. Branner P.S. 6805

(mmm

JOHN M.
BRANNER
S-6805
S-6805
S-6805
S-6805
S-6805



