2.058 ACRE PARCEL

Situate in the State of Ohio, Athens County, Ames Township, Section 11, T6N, R13W and being the same as conveyed to the Trustees of the Mound Hill Christian Church recorded in D.B. 59, Pg. 316 of the Athens County Recorder's office and being more particularly described as follows:

Beginning at a fence post found at the northwest corner of Section 11 also being the northwest corner of the parcel herein described, the southeast corner of a 1.13 acre parcel conveyed to W. Jean Anderson recorded in O.R. 401, Pg. 311, the southwest corner of a 128.02 acre parcel conveyed to Toni Jago Holdcroft recorded in O.R. 381, Pg. 456 and the northeast corner of a 21.85 acre parcel conveyed to W. Jean Anderson recorded in O.R. 401, Pg. 311. Said fence post being the **Point of Beginning** for the parcel herein described;

Thence from the **Point of Beginning** S 85° 35' 28" E 247.00 feet along the north line of Section 11 also being the south line of a 128.02 acre parcel conveyed to Toni Jago Holdcroft recorded in O.R. 381, Pg. 456 to an iron pin set at the northwest corner of a 68.25 acre parcel conveyed to W. Jean Anderson recorded in O.R. 401, Pg. 311;

Thence S 03° 07' 49" W 363.00 feet along the west line of a 68.25 acre parcel conveyed to W. Jean Anderson recorded in O.R. 401, Pg. 311 to an iron pin set at the northeast corner of the Board of Trustees of Ames Township recorded in D.B. 237, Pg. 33;

Thence N 85° 35' 28" W 247.00 feet along the north line of the Board of Trustees of Ames Township recorded in D.B. 237, Pg. 33 to an iron pin set on the west line of section 11 being the northwest corner of the Board of Trustees of Ames Township recorded in D.B. 237, Pg. 33 and the east line of a 21.85 acre parcel conveyed to W. Jean Anderson recorded in O.R. 401, Pg. 311;

Thence N 03° 07' 49" E 363.00 feet along the west line of section 11 also being the east line of a 21.85 acre parcel conveyed to W. Jean Anderson recorded in O.R. 401, Pg. 311 to the **Point of Beginning**.

Description Checked for Mathematical Accuracy Athens County

ENGINEER'S OFFICE BY: S. Blause

DATE: 2-25-1/

The above described contains 2.058 acres more or less and is contained within Auditor's Parcel Number C01001001600 which contains 4 acres.

Subject to all legal easements and rights of way.

Plat of survey attached hereto and made a part thereof.

All iron pins set are ³/₄" x 30" rebar with a plastic cap stamped Canter 7226.

This description was prepared under the direction and supervision of Robert C. Canter, Registered Surveyor No. 7226 and is based on a survey made by Canter Surveying/GPS Services, Inc., completed November 2010.

The bearings are Ohio State Plane Grid South Zone NAD 83(2007) and based on GPS observations December 2009. Reference the west line of section 11 being N 03° 07' 49" E.

Robert C. Canter

Ohio Professional Surveyor S-7226

Date

