

SOUTHEASTERN LAND SURVEYS

LEONARD F. SWOYER
REGISTERED PROFESSIONAL LAND SURVEYOR

3428 Plessant Hill Road Athens, Ohlo 45701 614/593-8701

Situated in Farm Lot 58, Section 14, Athens Township, Town 9, Range 14, Athens County, Ohio and described as follows:

Commencing at the northwest corner of Farm Lot 59; thence along an arbitrary line South 10 degrees 08 minutes 06 seconds West, a distance of 2790.22 feet to an iron pin set on the east line of a 1.57 acre tract described in Tract 2 of the tracts of land described in Volume 25 Page 439 of the Athens County Official Deed Records, THE TRUE POINT OF BEGINNING; thence along the east line of said 1.57 acre tract the following three bearings and distances: 1) South 30 degrees 11 minutes 50 seconds West, a distance of 45.70 feet to an iron pin*; thence 2) South 35 degrees 00 minutes 46 seconds West, a distance of 104.57 feet to an 1ron pin*; thence 3) South 17 degrees 21 minutes 27 seconds West, a distance of 135.04 feet to an iron pin* at the southeast corner of said 1.57 acre tract; thence along the south line of said 1.57 acre tract North 64 degrees 10 minutes 39 seconds West, a distance of 98.31 feet to an iron pin* at the southwest corner of said 1.57 acre tract; thence along the west line of said 1.57 acre tract North 8 degrees 00 minutes 31 seconds East, a distance of 193.03 feet to an iron pin set; thence leaving the west line of the 1.57 acre tract and along an arbitrary line the following two bearings and distances: 1) North 66 degrees 56 minutes 48 seconds East, a distance of 131.61 feet to a set railroad spike; thence 2) South 63 degrees 43 minutes 46 seconds East, a distance of 71.11 feet to the POINT OF BEGINNING and containing 0.739 acre, and being a part of Tract 2 of the tracts of land described in Volume 25 Page 439 of the Athens County Official Deed Records.

*denotes calculated location based on a previous survey

Note: Unless otherwise noted, all set iron pins are 5/8 inch diameter rebar and 30 inches in length and capped with a plastic identification marker inscribed L.F. Swoyer R.L.S. 6765.

The above description was prepared under the supervision of Leonard F. Swoyer Registered Professional Land Surveyor No. 6765 and based on a survey performed by Southeastern Land Surveys dated December 9, 1994.

Subject to all easements and right of ways of record.

Description checked for Mathematical Accuracy ATHENS COUNTY ENGINEER'S OFFICE BY: Blauser DATE:

PROPERTY

CONSTRUCTION

15 SUBDIVISIONS

K/##/Y



