

LEGAL DESCRIPTION FOR 1.521 ACRE PARCEL

Situated in the State of Ohio, County of Athens, Township of Athens, and being a part of Farm Lot 62, Section 17, Township-9-N, Range-14-W of the Ohio Company's Purchase, and being a part of those tracts as conveyed to University Estates, Inc. by deed of record in Official Record Volume 272, Page 1848, all references being to those of record in the Recorder's Office, Athens County, Ohio, said 1.521 acre parcel being more particularly bounded and described as follows:

Commencing at a stone found marking the southwesterly corner of Farm Lot 195 and the southeasterly corner of Farm Lot 104, the same being in the northerly line of Farm Lot 65;

thence along the northerly line of Farm Lot 65, South 85°57'49" East, 889.00 feet to a point marking the northeasterly corner of Farm Lot 65 and the southeasterly corner of Farm Lot 195, the same being in the easterly line of Farm Lot 62;

thence along the easterly line of Farm Lot 62, South 03°52'19" East, 448.05 feet to a point;

thence leaving said easterly line, South 86°07'41" East, 81.60 feet to a point and being the Point of Beginning for the 1.521 acre parcel herein to be described;

thence South 62°25'44" East, 215.48 feet to a point;

thence South 81°52'20" East, 192.75 feet to a point;

thence South 12°38'48" East, 131.72 feet to a point;

thence South 61°16'05" West, 189.73 feet to a point, said point being referenced, North 16°00'45" West, 461.93 feet from an iron pin found in the northerly line of a 200.010 acre tract;

thence northwesterly along the arc of a curve to the left (Radius= 375.00 feet, Delta= 47°25'14"), a chord bearing an distance of North 46°31'19" West, 301.58 feet to a point of tangency;

thence North 70°13'56" West, 71.03 feet to a point;

thence North 19°46'04" East, 122.39 feet to the Point of Beginning and containing 1.521 acres, more or less, according to a survey prepared by Jobes Henderson & Associates, Inc., during October of 2000.

TEL. (740) 344-5451 **34** FAX (740) 344-5746

LEGAL DESCRIPTION FOR 1.521 ACRE PARCEL

Page 2

The bearings in the above description are based on an assumed meridian and are used to denote angles only.

All iron pins set are 5/8" in diameter rebar by 30" in length with red surveyors identification caps marked "J&H, PS 7900".

Subject to all valid and existing easements, restrictions and conditions of record.

April 3, 2001

S:/00/00-101/legals/00-101-1.521acres

Steven L. Mullaney, P.S.

Surveyor No. 7900

Description checked for Mathematical Accuracy

Matheman ATHENS COUNTY ENGINEER'S OFFICE BY: BAULS

