Parcel No. 1

Situated in the City of Athens, State of Ohio, Athens County, Section 8, Township 9 North, Range 14 West and being part of Farm Lots 40 & 41 same being part of a parcel conveyed to Southeast Development Co. No. 2 recorded in Deed Book 271, Page 21 and being more particularly described as follows::

Beginning at a found 5/8" iron pin "LS Swoyer 6785" (1.71 feet north & 3.70 feet west) on the north line of Lot 41 at North 84°49'00" West, 77.20 feet from the Northeast corner of Lot 41 and the True Point of Beginning;

Thence South 31°20'00" East along the western line of McDonald's Corp recorded in Deed Vol. 376, Page 13 a distance of 106.34 feet to a found 5/8" iron pin;

Thence South 07°11'00" East, 396.77 feet to the northern right-of-way line of Carriage Hill Drive; thence along the northerly right-of-way line of said Carriage Hill Drive the following seven courses:

- 1. South 63°13'00" West, 320.42 feet to a set 5/8" iron pin;
- 2. Along a curve to the right having a radius of 326.82 feet an arc length of 191.56 feet and chord bearing South 78°57'56" West, 188.83 feet to a set 5/8" iron pin;
- 3. North 85°03'00" West, 30.00 feet to a set 5/8" iron pin;
- 4. Along a curve to the right having a radius of 437.22 feet an arc length of 140.67 feet and chord bearing North 75°50'00" West, 140.06 feet to a set 5/8" iron pin;
- 5. North 66°37'00" West, 18.11 feet to a set 5/8" iron pin;
- 6. Along a curve to the left having a radius of 450.59 feet an arc length of 136.85 feet and chord bearing North 76°42'57" West, 136.32 feet to a set 5/8" iron pin;
- 7. North 85°03'00" West, 60.00 feet to a found 5/8" iron pin at 0.61 feet south & 1.10 feet east;

Thence North 04°57'00" East along the easterly line of a parcel conveyed to Athens Carriage Hill Apartments LLC recorded in O.R. 440, Page 1301 a distance of 649.04 feet to a found 5/8" iron pin "LSM 7437";

Thence South 84°49'00" East along the southerly line of a parcel conveyed to Coates Run Property LL, LLC recorded in O.R. 479, Page 2375 a distance of 688.04 feet to the True Point of Beginning, containing 11.572 acres.

Parcel No. 2

Commencing at the Northeast corner of Lot 41 thence North 84°49'00" West, 77.20 feet along the north line of said Lot 41 to a found 5/8" iron pin "LS Swoyer 6785" (1.71 feet north & 3.70 feet west); thence South 31°20'00" East, 106.34 feet to a found 5/8" iron pin and the True Point of Beginning;

Thence North 82°49'00" East, 90.00 feet to a set 5/8" iron pin on the easterly right-of-way line of Richland Avenue;

Thence South 07°11'00" East along the westerly right-of-way line of said Richland Avenue a distance of 364.72 feet to a set 5/8" iron pin on the northern right-of-way line of Carriage Hill Drive:

Thence South 63°13'00" West along the northern right-of-way line of said Carriage Hill Drive a distance of 95.54 feet to a set 5/8" iron pin;

Thence North 07°11'00" West, 396.77 feet to the True Point of Beginning, containing 0.787 acres.

Basis of bearings for this survey is from a parcel conveyed to Southeast Development Co. No. 2 and recorded in Deed Book 271, Page 21 of the Athens County Records Office.

All set pins are 5/8 inch diameter x 30 inches in length rebar with a plastic cap bearing the number 7911.

The above description is prepared from and in accordance with a field survey by David J. Kuethe, Ohio Registered Surveyor No. 7911 dated January 8, 2015.

Description Checked for Mathematical Accuracy Athens County

BY: Brauch willing

