Phone 740-753-1264 Fax 740-753-1264

Description of a 1.941 Acre Tract

Situated in the City of Athens, In Lot 3652 of the Lamar Heights Third Addition and Section 8, T-9, R-14, Fraction 40, Athens Township, Athens County, State of Ohio and being the joining of two parcels which are described in Official Records Volume 584, Page 2016 and Official Records Volume 582, Page 2242 and being more particularly described as follows:

BEGINNING at an iron pin set at the Northeast corner of Lot 3653 of the LaMar Heights 3rd Addition

THENCE along the line of Dreifort (472-1330 OR), South 79°31'10"West, , 250.00 feet to an iron pin set,

THENCE along the line of The Church of Athens First United Methodist (Deed Book 298, Page 247) North 26°13'37"West, 268.00 feet to an iron pin set,

THENCE along the lines of Brooks (518-1233 OR), the following two courses,

- 1)North 79°20'47"East, 174.00 feet to an iron pin set,
- 2)North 37°19'57"West, 144.34 feet to a point in the center of Mulligan Road, (passing an iron pin set at 98.85 feet),

THENCE along said road the following three courses:

- 1)South 80°48'32""East, 83.44 feet to a point,
- 2)South 72°30'26"East, 70.10 feet to a point,
- 3)South 61°07'31"East, 108.08 feet to a point,

Thence leaving said road and along the line of Onofrio (294-1493 OR), South 0°36'57"East, 209.84 feet to an iron pin set, (passing an iron pin set at 22.73 feet),

Thence along the lines of Onofrio (294-1493 OR) and Baasel (478-1361 OR) South 37°19'57"East, 57.16 feet to the point of beginning and passing an iron pin found at 50.00 feet and containing 1.941 acres of which 1.356 acres was in Lot 3652 and 0.585 acres was in the tract described in Official Records Volume 582, Page 2242.

Survey completed and Description written in March 2023

All Iron Pins set are 5/8"x30" rebar with ID Caps labeled "HIGHLAND S 7581"

Bearings are to an assumed meridian and are for angular determination only

Subject to all Easements and Rights of Way of Record

Kenneth E. Highland S-7581

Description Checked for Mathematical Accuracy

BY: Polared filler

