

499 Richland Avenue Athens, Ohio 45701 Phone: 740-589-5001 Fax: 740-589-5004 rbuckley@buckleygroupllc.com

DESCRIPTION OF A 0.284 ACRE PARCEL

Situated in City of Athens, Athens Township, Athens County, State of Ohio

Being a **0.284** acre parcel of land located in Lease Lot 94, Section 21, Township 9 North, Range 14 West, Ohio Company Purchase, City of Athens, Athens Township, Athens County, State of Ohio and being all of a parcel as vacated by The City of Athens by Vacation Ordinance 0-41-88 and as conveyed to David S. & Gwenette Brooks by a deed recorded in Official Record Book 419 at Page 631 of said county deed records and being more fully described as follows:

Beginning at a mag nail (set) at the southeasterly corner of said 0.284 acre tract, being the northeasterly corner of a new 0.169 acre tract, and the southwesterly corner of lot 3791 of Kerr-Mercial Park Subdivision as recorded in Plat book 10 at Page 50 of said county plat book records;

- Course No. 1: Thence, N 87° 20' 59" W, with the northerly line of said 0.169 acre parcel, 60.70 feet to an iron pipe found, being the southeasterly corner of lot 3790 of said Kerr-Mercial Park Subdivision, and the northeasterly corner of a new 0.284 acre tract;
- Course No. 2: Thence, with the easterly line of lot 3790 & 3789 of said Kerr-Mercial Park Subdivision, along a curve to the right, concave easterly, having a central angle of 12° 38′ 00", a radius of 984.93 feet, a chord bearing and distance of N 17° 16′ 09" E, 216.73 feet, an arc distance of 217.17 feet to an iron pin found (5/8" rebar), being the northeasterly corner of lot 3789 of said Kerr-Mercial Park Subdivision, the southwesterly corner of lot 3788 of said Kerr-Mercial Park Subdivision, and a point on the westerly right of way of Kenny Drive, a 60 foot width right of way;



- **Course No. 3:** Thence, S 66° 24' 49" E, with the southerly right of way line Kenny Drive, 60.00 feet to a mag nail (set), being a point on the westerly line of lot 3791 of said Kerr-Mercial Park Subdivision;
- Course No. 4: Thence, along a curve to the left, concave easterly, having a central angle of 12° 05′ 24″, a radius of 924.93 feet, a chord bearing and distance of S 17° 32′ 04″ W, 194.81 feet, an arc distance of 195.17 feet to the **Point of Beginning**, containing **0.284 acres**, more or less, being subject to all legal rights of way and easements of record.

Bearings, coordinates and distances are based on Ohio State Plane (South Zone) Grid, NAD83 (CORS 2011) datum.

All iron pins set being 5/8" x 30" rebar with plastic cap stamped "Buckley Group - 04153".

This description was prepared under the direct supervision of Ryan D. Buckley, Registered Surveyor No. 8676 and is based on a field survey performed by Buckley Group, LLC completed in May 2017.

April 10, 2018

Date

WILLIAM ONAL THE

Ryan D. Buckley, Professional Surveyor No. 8676

Description Checked for Mathematical Accuracy

Athens County

ENGINEER'S OFFICE

DATE:

