LEGAL DESCRIPTION OF A CONTINUOUS AND CONTIGUOUS TRANSFER BETWEEN ADJOINING PROPERTY OWNERS OF A 0.125 ACRE TRACT (544 SQUARE FEET) *

Situated in Lease Lot 73, Section 13, Athens Township, Town 9, Range 14, Athens County, Ohio and described as follows:

Commencing at a rounded top bolt iron pin at the northeast corner of Lot 48 of the First Addition to the Wonder Hills Subdivision at the northwest corner of Khudr Shaar (130-246 O.R.) at the southwest corner of Nuevo Ambiente Ltd. (506-2639 O.R.); thence along the northerly line of Shaar (130-246 O.R.) and the southerly line of Nuevo Ambiente Ltd. (506-2639 O.R.) on an assumed bearing:

North 54°37'53" East a distance of 102.11 feet

to a set iron pin and said set iron pin is $\frac{\text{THE TRUE POINT OF BEGINNING}}{\text{thence continuing along the northerly line of Shaar (130-246 O.R.)}$ and the southerly line of Nuevo Ambiente Ltd. (506-2639 O.R.)

North 54°37'53" East a distance of 8.71 feet

to an iron pin (5/8 inch rebar) reset at the position I found it in April of 2009, said iron pin having been obliterated by right of way clearing work by an American Power and Electric crew according to Mr. Christopher McKenzie. Said reset iron pin being on the southerly line of Nuevo Ambiente Ltd. (506-2639 O.R.) at the northeast corner of Khudr Shaar (130-246 O.R.) at the northwest corner of Christopher McKenzie (474-1681 O.R.); thence along the easterly line of Khudr Shaar (130-246 O.R.) and the westerly line of Christopher McKenzie (474-1681 O.R.)

South 32°52'40" East a distance of 124.97 feet

to a found lag bolt; thence along a new line through the lands of Khudr Shaar $(130-246 \ O.R.)$

North 36°52'31" West a distance of 124.89 feet

to the point of beginning and containing 0.012 acres (544 square feet) and being part of land described in Volume 130 Page 246 of the Athens County Official Deed Records.

*THE ABOVE DESCRIBED 0.012 ACRE TRACT IS TO BE CONTINUOUS AND CONTIGUOUS WITH THE ADJOINING TRACT DESCRIBED IN VOLUME 474 PAGE 1681 OF THE ATHENS COUNTY OFFICIAL DEED RECORDS.

Note #1) Unless otherwise noted, all set iron pins are 5/8 inch diameter rebar 30 inches in length and capped with a yellow plastic identification marker inscribed "TOM TRANTINA RLS-8320"

Note #2) All calls for adjoining properties cited above and all deeds shown in parenthesis are given to fulfill mandatory County Auditor and Engineer's requirements and do not necessarily imply an acceptance of their content or their seniority.

The above description was prepared under the supervision of Thomas Coady Trantina, Registered Professional Land Surveyor No. 8320 and based on a survey performed by him dated November 30,2018.

Subject to all deeds and right of ways, reservations, restrictive & protective covenants, utility easements and oil, gas and mineral leases of record in the chain of title in Athens County, Ohio.

The basis of bearing for the above described survey is South $32^{\circ}52'40"$ East between a reset 5/8 inch iron pin and a found lag bolt on the east line of the subject tract.

THOMAS COADY TRANTINA, P.L.S. #8320 3428 PLEASANT HILL RD. ATHENS, OH. 45701 740-517-7543

10m Coady 10m thre 10m 104/19 01/04/19

