## **DESCRIPTION OF 0.2766 ACRE**

Situated in the State of Ohio, County of Athens, Township of Rome, being in the north half of Section 17, Range 12 West, Township 6 North, of "The Ohio Company First Purchase", and being bounded and described as follows:

Commencing for reference at the calculated northwest corner of Section 17 as computed from the information in Deed Volume 327, Page 621 of the Athens County Recorder's Office (Note: Reference bearing on the north line of Section 17 used as South 89°00'00" West.);

Thence, with a reference line, South 48°05'07" East a distance of 3,056.07 feet to a point in the centerline of State Route No. 329 at P.C. Station 306+64.15 as shown on State of Ohio Right-of-way Plan "ATH-329-5.32-7.56", sheets 1, 2, and 3, dated February 4, 1960;

Thence, with the centerline of State Route No. 329, being with a curve to the left, having a radius of 954.93 feet, an arc length of 36.39 feet, a chord bearing of North 33°54'14" East a chord distance of 36.39 feet to a point at the southwest corner of an original 6.57 acres tract as conveyed to Naomi Goins by Deed Volume 301, Page 338 of the Athens County Recorder's Office;, being **THE TRUE POINT OF BEGINNING** for this description;

Thence, from said Point of Beginning and continuing with the centerline of State Route No. 329, being with a curve to the left, having a radius of 954.93 feet, an arc length of 10.22 feet, a chord bearing of North 32°31'30" East a chord distance of 10.22 feet to a point;

Thence, leaving the road with a new division line, South 54°17'28" East a distance of 140.67 feet to an iron pin set, passing through an iron pin set at a distance of plus 13.71 feet;;

Thence South 62°04'55" East a distance of 132.02 feet to a 5/8" iron pin found capped "Claus 6456" in the south line of the aforementioned original 6.57 acres tract;

Thence, with the south line of said original 6.57 acres tract and the north line of a 24.96 acres tract as conveyed to Darrell E, and Yvonne R. Jenkins by Deed Volume 327, Page 621 of the Athens County Recorder's Office, the following two courses:

- 1. South 84°06'00" West a distance of 150.00 feet to a 5/8" iron pin found capped "Claus 6456";
- 2. Thence North 30°02'32" West a distance of 174.10 feet to The Point of Beginning, passing through an iron pin set at a distance of plus 100.55 feet;

Containing 0.2766 acre, more or less.

j. - 2

The above-described 0.2766 acre tract is insufficient size for a separate building lot, therefore, this survey was performed for conveyance to an adjacent landowner.

Subject to all legal right-of-ways, easement, restrictions, reservations, and zoning regulations of record.

Subject to the right-of-way of State Route No. 329.

Subject to the 100-Year Flood Plain restrictions, if applicable.

All iron pins set are 5/8" x 30" rebar capped and labeled "Claus 6456".

The bearings in this description are for angle calculations only and are based on the north line of Section 17 used as an assumed bearing of South 89°00'00" West.

A plat of the above-described survey has been submitted for file at the County Engineer's Office.

Page 2 of 2 Description of 0.2766 acre

The above description prepared by Roger W. Claus, Registered Surveyor No. 6456, based on actual field surveys of May 23, 2006 and May 15, 2012; said survey being subject to any facts that may be disclosed in a full and accurate title search.

Prior deed: Official Records Volume 459, Page 486

Surveyor:

Date:

ROGER W. AUMINITY STATE OF OATONIA STATE OATONIA

Description Approved Jill A. Thompson Athens County Auditor

5/22/12

Description Checked for Mathematical Accuracy Athens County


BY: Brank Utillian DATE: 12/27/17

Approved By

Approved By

Regional Planning Commission

Date



Approved By
Attrens County Regional Planning Commission
Date 1/3/1/8

1:801.463

ROGER W. CLAUS S-6456 OF STERIOR SOLUTION OF STERIOR S

Athens County
ENGINEER'S OFFIC

ATTE: 12/27/17