Description Checked for
Mathematical Accuracy
Athens County
ENGINEER'S OFFICE
BY: Trace Garage
DATE: G74/720

Description of a 1.067 Acre Tract to be continuous and contiguous with Carlson 507-36 O.R. (D010010031604)

Situated in the Northwest Quarter of Section 25, T.7, R.12, Bern Township, Athens County, Ohio and being a part of the land (D010010031600) as described in Volume 421, Page 1156 of the Official Records of Athens County, Ohio and being more particularly described as follows:

Commencing at a stone found at the Southwest corner of the North half of Section 25, thence N 11° 14' 17" E, 1991.90 feet to an iron pin set and also being the Point of Beginning for the tract of land herein described:

Thence along a new line created by this survey:

N 87°56'00" E, 556.60 feet to a point in Township Road 227 (Parmiter Road), passing an iron pin set at 528.73 feet;

Thence along said road and Harper (566-2192 O.R.) the following three courses:

- (1) S 29°21'10" W, 74.80 feet to a point;
- (2) S 24°05'40" W, 60.52 feet to a point;
- (3) S 20°32'37" W, 55.40 feet to a point;

Thence leaving said road and along the North line of Carlson (507-36 O.R.),

N 72°14'32" W, 499.20 feet to the point of beginning, passing an iron pin found at 19.91 feet and containing 1.067 acres, to be contiguous and contiguous with Carlson 507-36 O.R., (D010010031604)

Subject to all easements and rights of way of record.

Iron pins set are 5/8 inch by 30 inch long rebar w/ plastic I.D. Cap stamped Branner P.S. 6805 Bearing: Grid North – N.A.D. 83 – Ohio South Zone

The above description is based on a field survey completed January, 2020 by Jeb Branner, S.I., E.I., under the supervision of:

JOHN M.

BRANNER

John M. Branner P.S. 6805

Legal Description Pre-Approval APPROVED All transfers are subject to Athens County Conveyance Standards

AUG 2 4 2020

Jill Thompson Athens County Auditor "Sight" Survey Thursday, January 09, 2020 12:39 PM. Pg: 1
File Name: Z:\Sight Survey Jobs_BERN\Bern twp,sec 25,1.067ac,branner\Bern twp,sec 25,1.067ac,branner.ss4

Point	Bearing	Distance	Northing	Easting	Elevation
Database opened by owner: Wednesday, January 08, 2020 8:28 AM.					
Assigned Point					
-	1		5000.00000	5000.00000	
Start					
	1		5000.00000	5000.00000	
Raw:	87.5600	NE 556.60			
TR	N 87° 56' 00" E	556.60			
	2		5020.07229	5556.23796	
Raw:	29.2110	SW 74.80			
TR	S 29° 21' 10" W	74.80			
	3		4954.87525	5519.57208	
Raw:	24.0540	SW 60.52			
TR	S 24° 05' 40" W	60.52			
	4		4899.62813	5494.86527	
Raw:	20.3237	SW 55.40			
TR	S 20° 32' 37" W	55.40			
	5		4847.75127	5475.42429	
Raw:	72.1432	NW 499.20			
TR	N 72° 14' 32" W	499.20			
	6		5000.00407	5000.00897	
IN	S 65° 36' 10" W	0.01			
	1		5000.00000	5000.00000	

Area = 46484.46 Sq Feet or 1.07 Acres more or less

Database opened by owner: Thursday, January 09, 2020 12:39 PM.

