Description Checked for
Mathematical Accuracy
Athens County
ENGINEER'S OFFICE
BY: Tourn Mathematical
DATE: 6/24/6

Description of 73.991 Acres

The following described parcel is a new survey of a 75 acres tract as conveyed to Tusco Forestry by Official Records Volume 514, Page 207 of the Athens County Recorder's Office.

Situated in the State of Ohio, County of Athens, Township of Canaan, being in the southwest quarter of Section 5, Range 13 West, Township 5 North, of "The Ohio Company Purchase", and being bounded and described as follows:

Beginning at a 5/8" iron pin found capped "Newman 8043" at the southwest corner of Section 5 (Note: Reference bearing on the west line of the southwest quarter of Section 5 used as North 00°01'29" East.);

thence, from said Point of Beginning with the west line of Section 5, North 00°01'29" East a distance of 2,618.20 feet to a 5/8" iron pin found capped "Newman 8043" at the northwest corner of the southwest quarter, passing through a 5/8" iron pin found uncapped at a distance of plus 939.84 feet, passing through a 5/8" iron pin found capped "Newman 8043" at a distance of plus 1,387.04 feet, passing over the center of Township Road No. 224 (Thompson Ridge Road) at a distance of plus 1,423.33 feet, passing through another 5/8" iron pin found capped "Newman 8043" at a distance of plus 1,472.09 feet and passing through two 5/8" iron pins found uncapped at distances of plus 1,945.85 feet and plus 2,357.24 feet, respectively;

thence, with the north line of the southwest quarter, South 89°55'54" East a distance of 1,233.55 feet to a 5/8" iron pin set at the northwest corner of a 3.32 acres tract as conveyed to Marilyn Zwayer and William Alexy by Volume 382, Page 495 of the Athens County Recorder's Office, passing through a 5/8" iron pin found capped "L.F. Swoyer RLS 6765" at a distance of plus 1,030.60 feet;

thence, with the west line of said Zwayer-Alexy property and an extension thereof, South 00°03'15" West a distance of 2,610.29 feet to a 5/8" iron pin set in the south line of Section 5, passing through a 5/8" iron pin set at a distance of plus 781.59 feet, passing over the center of Township Road No. 224 (Thompson Ridge Road) at a distance of plus 831.59 feet, passing through a 5/8" iron pin set at a distance of plus 881.59 feet and passing through a 5/8" iron pin found capped "L.F. Swoyer RLS 6765" at a distance of plus 979.69 feet, respectively;

thence, with the south line of Section 5, South 89°42'01" West a distance of 1,232.23 feet to the Point of Beginning, passing through a 5/8" iron pin found uncapped at a distance of plus 636.39 feet;

containing 73.991 acres, more or less, being all of Parcel No. E010010003900.

Subject to all legal right-of-ways, easements, restrictions, reservations, and zoning regulations of record.

Subject to the right-of-way of Township Road No. 224 (Thompson Ridge Road).

Subject to the 100-year Flood Plain restrictions, if applicable.

All iron pins set are 5/8" x 30" rebar capped and labeled "Biedenbach Surveying, LLC. PS 7881 – PS 8534".

Page 2 of 2 Description of 73.991 Acres

The bearings in this description are for angle calculations only and are based on the west line of the southwest quarter of Section 5 used as an assumed bearing of North 00°01'29" East.

A plat of the above-described survey has been submitted for file at the County Engineer's Office.

The above description prepared by Gregory A. Biedenbach, Ohio Registered Surveyor No. 7881, based on information obtained from an actual field survey of June 15, 2016. . Said survey being subject to any facts that may be disclosed in a full and accurate title search.

GREGORY A. BIEDENBACH S-7881

Prior Deed: Official Records Volume 514, Page 207.

Date

Gregory A. Biedenbach Ohio Registered Surveyor

No. 7881.

Survey File: GB-2479F

