## **DESCRIPTION OF A 66.90 ACRE TRACT**

Situated in Fraction 3 and Fr. 12, Section 9, T.5, R.13, Canaan Township, Athens County, Ohio and being all of PID# E010010014200 and part of PID# E010010014100 as described in Volume 437, Page 2422 of the Official Records of Athens County and being more particularly described as follows:

Beginning at a stone found on the North-line of Fraction #3, that bears

N 87 degrees-12 minutes 25 seconds W, 815.49 feet (deed) from the North-east corner of Fraction 3;

Thence, along the lines of Roller (534-1571 O.R.):

S 45° 22' 57" W, 332.64 feet to an iron pin found;

S 22° 38' 45" W, 1245.42 feet to a point in a ravine, passing an iron pin found at 1206.04 feet;

S 13° 39' 12" W, 507.86 feet to an iron pin set;

Thence, along new lines created by this survey:

N 74° 46′ 18" W, 238.24 feet to an iron pin set;

S 11° 22' 13" W, 441.29 feet to an iron pin set;

S 25° 03' 31" W, 431.60 feet to a railroad spike set;

S 21° 45′ 56" W, 223.96 feet to a railroad spike set;

Thence, along the North right of way line of Township Road 605:

N 66° 04' 53" W, 25.02' to an iron pin set

Thence, leaving said right of way and along new lines created by this survey:

N 21° 45' 56" E, 221.91 feet to an iron pin set;

N 25° 02' 12" E, 274.07 feet to an iron pin set;

N 57° 39' 27" W, 133.26 feet to an iron pin set;

Thence, along the lines of Penny Lane Rentals L.L.C. K Investment and Management Co. (512-614 O.R);

N 31° 47' 09" E, 266.88 feet to an iron pin found;

N 58° 28' 38" W, 745.64 feet to an iron pin found;

N 41° 53' 48" E, 378.52 feet to an iron pin found;

N 59° 53' 48" E, 154.44 feet to an iron pin found;

N 3° 23' 49" E  $\,$  , 1381.06 feet to an iron pin found;

S 88° 08' 37" E, 568.01 feet to an iron pin found;

N 3° 02' 59" E, 1129.78 feet to an iron pin found;

Thence, along the lines of Houska (462-189 O.R.)

S 88° 08' 37" E, 815.63 feet to a stone found;

S  $3^{\circ}$  02' 59" W, 1129.78 feet to the point of beginning and containing 66.90 acres of which 21.15 acres are in Fraction 12, (PID# E0100114200) and 45.75 acres are in Fraction 3, (PID# E0100114100).

Subject to all easements and rights of way of record.

Iron pins set are 5/8 inch by 30 inch long rebar w/ plastic I.D. Cap stamped Branner P.S. 6805 Bearing: Grid North- N.A.D. 83 Ohio South Zone.

The above description is based on a field survey completed April, 2021.

John M. Branner P.S. 6805 12500 N. Peach Ridge Rd. Athens, Oh. 45701 740-541-0350

> Description Checked for Mathematical Accuracy Athens County ENGINEER'S OFFICE


BY: Perceule Letellieur DATE: 4/16/4



Legal Description Pre-Approval
APPROVED
All transfers are subject to
Athens County Conveyance Standards

APR 1 6 2021

Jill Thompson Athens County Auditor



## Description of a 50' Wide Easement for Ingress and Egress to a 1.792 acre Tract

Situated in Fraction 3, Section 9, T.5, R.13, Canaan Township, Athens County, Ohio and being more particularly described as follows:

Beginning at an iron pin at the Northerly most corner of a 1.792 acre tract, Thence, along the west-line of said tract:

S 21° 45′ 56" W, 226.02 feet to an iron pin;

Thence, along the North right of way line of Township Road 605:

N 66° 04' 53" W, 50.04 to an iron pin, passing a rail road spike set in an existing gravel drive at 25.02 feet Thence, leaving said right of way:

N 21° 45' 56" E ,221.91 feet to an iron pin set;

Thence, S 70° 47′ 07" E, 50.05 feet (passing a rail road spike set at 25.02 feet) to the point of beginning.

Iron pins set are 5/8 inch by 30 inch long rebar w/ plastic I.D. Cap stamped

Branner Surveying P.S. 6805

Bearing: Grid North- N.A.D. 83 Ohio South Zone

The above description is based on a field survey completed April, 2021.

Jan M. Branner P.S. 6805 12500 N. Peach Ridge Rd. Athens, Oh. 45701 740-541-0350



## **DESCRIPTION OF A 1.93 ACRE TRACT**

Situated in Fraction 3, Section 9, T.5, R.13, Canaan Township, Athens County, Ohio and being part of PID# E010010014100 as described in Volume 437, Page 2422 of the Official Records of Athens County and being more particularly described as follows:

Commencing at a stone found on the North-line of Fraction 3, that bears

N 87 degrees 12 minutes 25 seconds W, 815.49 feet (deed) from the North-east corner of Fraction 3; Thence, South 30 degrees 25 minutes 05 seconds West, 2678.40 feet to an iron pin set and being the point of beginning for the tract of land herein described:

Thence, along new lines created by this survey:

S 57° 39' 27" E, 133.26 feet to an iron pin set;

S 25° 02' 12" W, 274.07 feet to an iron pin set;

S 21° 45′ 56" W, 221.91 feet to an iron pin set on the North- right of way of Township Road 605;

Thence, along said right of way:

N 66° 04' 58" W, 205.26 feet to an O.D.O.T. Right of way marker found;

Thence, along the east-line of Penny Lane Rental L.L.C. (512-614 O.R.):

N 31° 42' 11" E, 520.09 to the point of beginning and containing 1.93 acres.

Subject to all easements and rights of way of record.

Iron pins set are 5/8 inch by 30 inch long rebar w/ plastic I.D. Cap stamped Branner P.S. 6805

Basis of Bearing: Grid North- N.A.D. 83 Ohio South Zone.

The above description is based on a field survey completed April, 2021.

John M. Branner P.S. 6805 12500 N. Peach Ridge Rd. Athens, Oh. 45701

740-541-0350

Description Checked for Mathematical Accuracy Athens County

ENGINEER'S OFFICE

DATE: 8/15/71

JOHN M.
BRANNER
S-6805


S-6805

S-6805

Legal Description Pre-Approval
APPROVED
All transfers are subject to
Athens County Conveyance Standards

AUG 25 2021

Jill Thompson Athens County Auditor



## **DESCRIPTION OF A 5.095 ACRE TRACT**

Situated in Fraction 3. Section 9, T.5, R.13, Canaan Township, Athens County, Ohio and being part of PID# E010010014100 as described in Volume 437, Page 2422 of the Official Records of Athens County and being more particularly described as follows:

Commencing at a stone found on the North-line of Fraction #3, that bears

N 87 degrees-12 minutes 25 seconds W, 815.49 feet (deed) from the North-east corner of Fraction 3; Thence, along the lines of Roller (534-1571 O.R.):

S 45° 22' 57" W, 332.64 feet;

S 22° 38' 45" W, 1245.42 feet to a point in a ravine;

S 13° 39' 12" W, 507.86 feet to an iron pin previously set and being the point of beginning for the tract of land herein described:

Thence, continuing along the lines of Roller (534-1571 O.R.)

,S 13° 39' 12" W, 745.48 feet to an iron pin previously set;

S 13° 31' 12" W, 141.81 feet to an iron pin previously set;

Thence, along the line of the Lance Family Holdings L.L.C. (583-112 O.R.)

N 70° 47' 07" W, 282.67 feet to an iron pin previously set;

S 21° 45' 56" W, 226.02 feet to an iron pin previously set;

Thence, along the right of way of Canaan Township Road 605:

N 66° 04' 53" W, 25.02 feet to a rail road spike previously set;

Thence, along new lines created by this survey:

N 21° 45' 56" E, 223.96 feet to a railroad spike previously set;

N 25° 03' 31" E, 431.60 feet to an iron pin previously set;

N 11° 22' 13" E, 441.29 feet to an iron pin previously set;

S 74° 46′ 18" E , 238.24 feet to the point of beginning and containing 5.095 acres.

Subject to all easements and rights of way of record.

Iron pins set are 5/8 inch by 30 inch long rebar w/ plastic I.D. Cap stamped Branner P.S. 6805

Basis of Bearing: Grid North- N.A.D. 83 Ohio South Zone.

Mr Ms

The above description is based on a field survey completed April, 2021.

John M. Branner P.S. 6805

12500 N. Peach Ridge Rd.

Atnens, Oh. 45/01

740-541-0350

Description Checked for

Mathematical Accuracy

Athe FR S OFFICE

BY: Permy file

JOHN M.
BRANNER
S-6805

SONAL SURVEY.

Legal Description Pre-Approval
APPROVED
All transfers are subject to
Athens County Conveyance Standards

JUL 3 0 2021

Jill Thompson Athens County Auditor

