

C. Thomas Smith
Ohio Professional Surveyor No. 6844
P.O. Box 393
Racine, Ohio 45771
740-949-2524

## Description of survey for Julian Boggs

Being a part of tracts of land transferred to Julian Boggs, Trustee of The Julian Boggs Trust as recorded in Official Records Volume 416 at page 110 Athens County Recorder's Office, Athens County, Ohio, also being a part of Section 7, Township-5, Range-14, Carthage Township, Athens County, State of Ohio and more particularly described as follows;

Beginning for reference at the southwest corner of said Section 7, Township-5, Range-14;

Thence North 00°18'19" West a distance of 1508.30 feet to a hickory tree being the northwest corner of a 4.20 acre tract transferred to William Reader as recorded in Official Records Volume 331 at page 2266 and being the principal point of beginning for the tract herein described;

Thence along the west line of said Section 7, T-5, R-14 North 00°18'19" West a distance of 726.58 feet to an existing iron pin being the southwest corner of a 10.0400 acre tract transferred to Bobby McBrayer as recorded in Official Records Volume 299 at page 1602;

Thence leaving said west line and along the south line of said 10.0400 acre tract and continuing along the south line of a 10.0200 acre tract transferred to James and Shirley Cremeans as recorded in Official Records Volume 272 at page 384 North 89°43'40" East a distance of 1217.21 feet to an existing iron pin being the southeast corner of said 10.0200 acre tract;

Thence leaving said south line and thru the lands of the grantor the following two courses;

- 1. South 04°34'30" East a distance of 371.32 feet to a 5/8" iron pin set;
- 2. North 78°35'05" East passing thru a 5/8" iron pin set at a distance of 768.46 feet and going a total distance of 782.56 feet to a point in the centerline of Township Road 121, Calaway Ridge Road;

Thence along said centerline the following three courses;

- 1. South 07°20'27" West a distance of 250.12 feet to a point;
- 2. South 11°41'02" West a distance of 100.72 feet to a point;
- 3. South 20°53'29" West a distance of 163.44 feet to a point;

Thence leaving said centerline and along the north line of a 1.676 acre tract transferred to Julian and Nancy Boggs as recorded in Official Records Volume 258 at page 1561 and continuing along the north line of a 2.96 acre tract transferred to Ronald Dillon as recorded in Official Records Volume 235 at page 16 South 88°52'00" West passing thru an existing iron pin at a distance of 18.10 feet and going a total distance of 803.79 feet to an existing iron pin



C. Thomas Smith Ohio Professional Surveyor No. 6844 P.O. Box 393 Racine, Ohio 45771 740-949-2524

being the northeast corner of said 4.20 acre tract transferred to William Reader;

Thence along the north line of said 4.20 acre tract South 89°54'19" West a distance of 1095.75 feet to the principal point of beginning containing 27.7455 acres more or less subject to all legal easements and rights of way.

Bearings are assumed and are for the determination of angles only.

All iron pins set are 5/8"X30" rebar with plastic ID cap stamped "CTS-6844".

The above description was prepared from an actual survey made on the 17th day of January, 2012, by C. Thomas Smith, Ohio Professional Surveyor, No. 6844.

Ohio Professional Surveyor No. 6844

CHARLES THOMAS

Description Checked for Mathematical Accuracy Athens County ENGINEER'S OFFICE BY: S. Blause,

DATE: 1-18-12

