Legal Description Pre-Approval APPROVED All transfers are subject to Athens County Conveyance Standards

MAY 0.7 2019

Jill Thompson Athens County Auditor Mathematical Accuracy Athens County ENGINEER'S OFFICE

Description Checked for

DESCRIPTION OF A 2.623 ACRE TRACT Tract A

Situated in Fractions 4, Section 10, T.10, R.15, Lee Township, Athens County, Ohio and being part of the land as described in Volume 552, Page 2624 of the Official Records of Athens County, Ohio and being more particularly described as follows:

Commencing at an iron pin called for at the Northeast corner of Fraction 4, Section 10, thence S 38° 16' 00" W, 900.61 feet to a point in Township road 15A (Townsend Road) and also being the Point of Beginning for the survey herein described;

Thence leaving said road and along the line of Ferguson (27-680 O.R.),

S 04° 05' 51" W, 136.23 feet, to an iron pin set, passing an iron pin found at 43.74 feet;

Thence along a new line created by this survey,

S 81° 13' 34" W, 461.78 feet to a point in Township Road 15 (Marshfield Road), passing an iron pin set at 441.56 feet;

Thence along said road,

N 20° 53' 14" W, 342.66 feet to a point at the intersection of said road and Township Road 15A (Townsend Road);

Thence along Township Road 15A (Townsend Road) the following 2 courses:

(1) S 77° 04' 39" E, 350.25 feet to a point;

(2) S 81° 49' 09" E, 249.44 feet to the point of beginning and containing 2.623 acres, more or less.

Subject to all easements and rights of way of record.

Iron pins set are 5/8 inch by 30 inch long rebar w/ plastic I.D. Cap stamped "Branner P.S. 6805"

Bearing: Grid North - N.A.D. 83 - Ohio South Zone

The above description is based on a field survey completed May, 2019 by

John M. Branner P.S. 6805

Approved By Misens County Regional Planning Commission

BRANNER S-6805

Description Checked for Mathematical Accuracy Athens County ENGINEER'S OFFICE

Legal Description Pre-Approval
APPROVED All transfers are subject to Athens County Conveyance Standards

MAY 0 7 2019

Jill Thompson Athens County Auditor

DESCRIPTION OF A 2.541 ACRE TRACT Tract B

Situated in Fractions 4, Section 10, T.10, R.15, Lee Township, Athens County, Ohio and being part of the land as described in Volume 552, Page 2624 of the Official Records of Athens County, Ohio and being more particularly described as follows:

Commencing at an iron pin called for at the Northeast corner of Fraction 4, Section 10, thence S 33° 56′ 55" W, 1016.21 feet to an iron pin set on the East line of Ferguson (27-680 O.R.), and also being the **Point of Beginning** for the survey herein described;

Thence along the line of Ferguson (27-680 O.R.),

S 04° 05' 51" W, 231.19 feet to an iron pin set;

Thence along new lines created by this survey:

S 78° 19' 04" W, 133.07 feet to an iron pin set;

S 83° 16' 58" W, 229.16 feet to a point in Township Road 15 (Marshfield Road), passing an iron pin set at 199.28 feet;

Thence along said road,

N 20° 57' 53" W, 229.07 feet to a point;

Thence leaving said road and along a new line created by this survey,

N 81° 13' 34" E, 461.78 feet passing an iron pin set at 20.22 feet to the point of beginning and containing 2.514 acres, more or less.

Subject to all easements and rights of way of record.

Iron pins set are 5/8 inch by 30 inch long rebar w/ plastic I.D. Cap stamped "Branner P.S. 6805"

Bearing: Grid North - N.A.D. 83 - Ohio South Zone

The above description is based on a field survey completed May, 2019 by

John M. Branner P.S. 6805

County Regional Planning Commission

JOHN M BRANNER S-6805

Description Checked for Mathematical Accuracy Athens County ENGINEER'S OFFI

DATE:

Legal Description Pre-Approval
APPROVED
All transfers are subject to
Athens County Conveyance Standards

MAY 0 7 2019

Jill Thompson Athens County Auditor

DESCRIPTION OF A 2.421 ACRE TRACT Tract C

Situated in Fractions 4, Section 10, T.10, R.15, Lee Township, Athens County, Ohio and being part of the land as described in Volume 552, Page 2624 of the Official Records of Athens County, Ohio and being more particularly described as follows:

Commencing at an iron pin called for at the Northeast corner of Fraction 4, Section 10, thence S 28° 32' 45" W, 1222.15 feet to an iron pin set on the East line of Ferguson (27-680 O.R.), and also being the Point of Beginning for the survey herein described;

Thence along the line of Ferguson (27-680 O.R.),

S 04° 05' 51" W, 406.12 feet to an iron pin found;

N 85° 36' 53" W, 220.99 feet to a point in Township Road 15 (Marshfield Road), passing an iron pin found at 190.24 feet;

Thence along said road the following 2 courses:

- (1) N 15° 45' 54" W, 126.11 feet to a point;
- (2) N 19° 13' 07" W, 225.64 feet to a point;

Thence leaving said road and along new lines created by this survey,

N 83° 16' 58" E, 229.16 feet to an iron pin set, passing an iron pin set at 29.88 feet;

N 78° 19' 04" E, 133.07 feet to the point of beginning and containing 2.421 acres, more or less.

Subject to all easements and rights of way of record.

Iron pins set are 5/8 inch by 30 inch long rebar w/ plastic I.D. Cap stamped "Branner P.S. 6805"

BRANNER S-6805

Bearing: Grid North - N.A.D. 83 - Ohio South Zone

The above description is based on a field survey completed May, 2019 by

John M. Branner P.S. 6805

Im m m

Approved By

Alberts County Recional Clanning Commission

