

#### SOUTHEASTERN LAND SURVEYS

LEONARD F. SWOYER
REGISTERED PROFESSIONAL LAND SURVEYOR

3428 Pleasant Hill Road Athens, Ohio 45701 614/593-8701

Situated in the southwest quarter of Section 13, Town 10, Range 15, Lee Township, Athens County, Ohio and described as follows:

Commencing at the northeast corner of the south half of the southeast quarter of said Section 13; thence on an assumed bearing North 86°08'00" West 2,694.29 feet to a point in the center of Lee Township Road 2; thence along the southerly property line of lands owned by Ohio University and described in Volume 298 Page 629 of the Athens County Deed Records the following two bearings and distances North 86°32'00" West 406.82 feet to a point; thence South 54°52'00" West 1,277.43 feet to a found iron pin on the west property line of the aforementioned University Land; thence along the west property line of said University Land the following two bearings and distances North 05°04'00" East 333.78 feet to a found iron pin; thence North 27°22'05" West 580.12 feet to a found iron pin, THE TRUE POINT OF BEGINNING; thence North 27°22'05" West 428.37 feet to a set iron pin on the south right of way S.R. 346; thence along the south right of way of said S.R. 346

- 1. North 80°11'28" East 240.43 feet to a point; thence
- 2. North 68°59'27" East 150.33 feet to a point; thence
- 3. North 60°23'51" East 255.98 feet to a point; thence
- 4. North 72°48'18" East 400.00 feet to a point; thence
- 5. North 65°58'55" East 273.26 feet to a found iron pin; thence leaving the said south right of way of S.R. 346 and along the west property line of a 5.00 acre tract described in Volume 36 Page 105 of the Athens County Offical Deed Records South 10°30'01" East 351.58 feet to a point, the southwest corner of said 5.0 acre tract; thence along the south property line of said 5.0 acre tract North 67°36'30" East 720.00 feet to a point in the center of Lee Township Road 2; thence along the center of said Lee Township Road 2 South 04°53'38' West 30.64 feet to a point; thence leaving the said Lee Township Road 2 and along the north property line of the aforesaid University Land South 67°30'50" West (passsing a set iron pin at 711.94 feet) for a total distance of 1,906.76 feet to the point of beginning containing 11.4499 acres and being a part of 241.113 acre tract described in Volume 38 Page 817 of the Athens County Official Deed Records.

PROPERTY

CONSTRUCTION

SUBDIVISIONS



### SOUTHEASTERN LAND SURVEYS

LEONARD F. SWOYER
REGISTERED PROFESSIONAL LAND SURVEYOR

3428 Pleasant Hill Road Athens, Ohio 45701 614/593-8701

Note: Unless otherwise noted all set iron pins are 5/8 inch diameter rebar 30 inches in length and capped with a plastic identification marker inscribed L.F. Swoyer R.L.S. 6765.

The above description was written by Leonard F. Swoyer Registered Professional Land Surveyor Number 6765 and based on a survey prepared by Southeastern Land Surveys dated August 28, 1989.

Subject to all easements and right of ways of record.

Also subject totafifty foot easement for ingress and egress as described in Volume 36 Page 105 of the Athens County Official Deed Records.

Description checked for Mathematical Accuracy ATHENS COUNTY ENGINEER'S OFFICE BY:

PROPERTY

CONSTRUCTION

19 SUBDIVISIONS



#### SOUTHEASTERN LAND SURVEYS

LEONARD F. SWOYER
REGISTERED PROFESSIONAL LAND SURVEYOR

3428 Pleasant Hill Road Athens, Ohio 45701 614/593-8701

Situated in the southwest quarter of Section 13, Town 10, Range 15, Lee Township, Athens County, Ohio and described as follows:

Commencing at the northeast corner of the south half of the southeast quarter of said Section 13; thence on an assumed bearing North 86°08'00" West 2,694.29 feet to a point in the center of Lee Township Road 2, THE TRUE POINT OF BEGINNING; thence along the center of said Lee Township Road 2 South 04°58'28" West 244.27 feet to a point; thence leaving the said Lee Township Road 2 South 61°44'41" West (passing a set iron pin at 16.75 feet) for a total distance of 1,305.26 feet to a set iron pin; thence North 61°41'42" West 317.86 feet to a found iron pin at the southwest corner of a tract owned by Ohio University and described in Volume 298 Page 629 of the Athens County Deed Records; thence along the southerly property line of said University Lands North 54°52'00" East 1,277.43 feet to a point; thence South 86°32'A 406.82 feet to the point of beginning containing 11.5751 acres and being a part of a 241.113 acre tract described in Volume 38 Page 817 of the Athens County Official Deed Records.

Note: Unless otherwise noted all set iron pins are 5/8 inch diameter rebar 30 inches in length and capped with a plastic identification marker inscribed L.F. Swoyer R.L.S. 6765.

The above description was written by Leonard F. Swoyer Registered Professional Land Surveyor Number 6765 and based on a survey prepared by Southeastern Land Surveys dated August 28, 1989.

Subject to all easements and right of ways of record.

Description checked for Mathematical Accuracy ATHENS COUNTY ENGINEER'S OFFICE

30

SUBDIVISIONS

PROPERTY

CONSTRUCTION



#### SOUTHEASTERN LAND SURVEYS

LEONARD F. SWOYER
REGISTERED PROFESSIONAL LAND SURVEYOR

3428 Pleasant Hill Road Athens, Ohio 45701 614/593-8701

Situated in the southeast quarter of Section 8, Town 10, Range 15, Lee Township, Athens County, Ohio and descirbed as follows:

Commenicing at the southeast corner of said Section 8; thence on an assumed bearing along the south line of said Section 8 North 86°11'54" West 1,148.68 to a set iron pin, THE TRUE POINT OF BEGINNING; thence continuing along the south line of said Section 8 North 86°11'54' West (passing a found iron pin at 1,199.03 feet) for a total distance of 1,231.78 feet to a point in the center of Athens County Road 71; thence along the center of said Athens County Road 71 North 08°29'18" East 394.61 feet to a point in the south right of way of U.S. Route 50; thence along the south right of way of U.S. Route 50 the following three courses:

- 1. South 84°07'25" East 63.68 feet to a point; thence
- 2. North 05°52'36" East 443.76 feet to a point; thence
- 3. North 62°55'15" East 985.49 feet to a point; thence leaving the said southerly right of way and following a drainage ditch the following three courses:
- 1. South 16°34'27" East 206.79 feet to a point; thence
- 2. South 04°02'15" East 411.25 feet to a point; thence
- 3. South 07°22'17" East (passing a set iron pin at 599.38 feet) for a total distance of 753.27 feet to the point of beginning containing 26.5640 acres and being a part of a 78.445 acre tract described in Volume 38 Page 816 of the Athens County Deed Records.

Note: Unless otherwise noted all set iron pins are 5/8 inch diameter rebar 30 inches in length and capped with a plastic identification marker inscribed L.F. Swoyer R.L.S. 6765.

The above description was written by Leonard F. Swoyer Registered Professional Land Surveyor Number 6765 and based on a survey prepared by Southeastern Land Surveys dated August 28, 1989.


Subject to all easements and right of ways of record.

Description checked for Mathematical Accuracy ATHENS COUNTY ENGINEER'S OFFICE BY:


SUBDIVISIONS

CONSTRUCTION

PROPERTY



32 CH





## Know all Men by these Presents

Roger E. Van Dyke and Kathryn Van Dyke, husband and wife, That

Athens

County, State of Ohio, for valuable consideration paid, grant

with general warranty covenants, to

following five bearings and distances:

President and Trustees of Ohio University

whose tax mailing address is

se tax making address is
Treasurer and Controller, Scott Quad, Ohio University, Athens, Oh
45701 the following real property:

Situated in the southwest quarter of Section 13, Town 10, Range 15, Lee Township, Athens County, Ohio and described as follows:

Commencing at the northeast corner of the south half of the southeast quarter of said Section 13; thence on an assumed bearing North 86 degrees 08' 00" West 2,694.29 feet to a point in the center of Lee Township Road 2; thence along the southerly property line of lands owned by Ohio University and described in Volume 298 Page 629 of the Athens County Deed Records the following two bearings and distances North 86 degrees 32' 00" West 406.82 feet to a point; thence South 54 degrees 52' 00" West 1,277.43 feet to a found iron pin on the west property line of the aforementioned University Land; thence along the west property line of said University Land the following two bearings and distances North 05 degrees 04' 00" East 333.78 feet to a found iron pin; thence North 27 degrees 22' 05" West 580.12 feet to a found iron pin, THE TRUE POINT OF BEGINNING; thence North 27 degrees 22' 05" West 428.37 feet to a set iron pin on the south right of way S.R. 346; thence along the south right of way of said S.R. 346 the

1. North 80 degrees 11'28" East 240.43 feet to a point; thence 2. North 68 degrees 59'27" East 150.33 feet to a point; thence
3. North 60 degrees 23'51" East 255.98 feet to a point; thence
4. North 72 degrees 48'18" East 400.00 feet to a point; thence
5. North 65 degrees 58'55" East 273.26 feet to a found iron pin; thence leaving the said south right of way of S.R. 346 and along the west property line of a 5.00 acre tract described in Volume 36 Page 105 of the Athens County Official Deed Records South 10 degrees 30'01" East 351.58 feet to a point, the southwest corner of said 5.0 acre tract; thence along the south property line of said 5.0 acre tract North 67 degrees 36'30" East 720.00 feet to a point in the center of Lee Township Road 2; thence along the center of said Lee Township Road 2 South 04 degrees 53'38" West 30.64 feet to a point; thence leaving the said Lee Township Road 2 and along the north property line of the aforesaid University Land South 67 degrees 30'50" West (passing a set iron pin at 711.94 feet) for a total distance of 1,906.76 feet to the point of beginning containing 11.4499 acres and being a part of 241.113 acre tract described in Volume 38 Page 817 of the Athens County Official Deed Records.

Unless otherwise noted all set iron pins are 5/8 inch diameter rebar 30 inches in length and capped with a plastic identification marker inscribed L.F. Swoyer R.L.S. 6765.

The above description was written by Leonard F. Swoyer Registered Professional Land Surveyor Number 6765 and based on a survey prepared by Southeastern Land Surveys dated August 28, 1989.

Subject to all easements and right of ways of record.

Also subject to a fifty foot easement for ingress and egress as described in Volume 36 Page 105 of the Athens County Official Deed Records.

(Description continued on attached sheets)

<b>W</b> itness Ou	ır han	dS this	day of	June	
9 90.			uuy oj	June	
ligned and acknowledged	in prese	nce of			
	· ·	<u> </u>	Roger E.	Van Duko	
			nogel I.	van byke	<b></b> .
		-	Kathryn V	an Dyke	<del></del>
					<u> </u>
State of $\{0\}$ hio, $\}$ $ss.$ Athens $County$ , $\}$ $ss.$ in an Roger E. Van Dy					ed
ho acknowledged that tee act and deed.					r
ce wer with week.		In Testimo	ng <b>M</b> hereof, <i>Í hai</i>	ve hereunto set my han	d
		and official s this	seal, at Athens, day of	Ohio	
		A. D. 19 90	•		
,			Notary Public		
State of County, amed	ss. in and	Before me, a for said Coun	ty and State, person	nally appeared the abo	ve
ho acknowledged that ee act and deed.	did s	sign the foregoi	ng instrument and i	hat the same is	
		In Testimo	ny Mhereof, I has seal, at	ve hereunto set my har	nd
		this A. D. 19	day of		
This instrument	t prepared	•	· ·	ttorney at Law	
		MOLLICA	A, GALL, SLOAN	& SILLERY CO.,I	L.P.

# Marranty Deed ROGER E. VAN DYKE AND KATHRYN VAN DYKE PRESIDENT AND TRUE OF OHIO UNIVERSITY COLIN TOTransferred

ATTORNEYS AT LAW MOLLICA, GALL, SLOAN & SILLERY

35 NORTH COLLEGE STREE POST OFFICE DRAWER 958 ATHENS, OHIO 45701 (Continuation of description)

TRACT 2:

Commencing at the northeast corner of the south half of the southeast quarter of said Section 13; thence on an assumed bearing North 86 degrees 08' 00" West 2,694.29 feet to a point in the center of Lee Township Road 2, THE TRUE POINT OF BEGINNING; thence along the center of said Lee Township Road 2 South 04 degrees 58'28" West 244.27 feet to a point; thence leaving the said Lee Township Road 2 South 61 degrees 44' 41" West (passing a set iron pin at 16.75 feet) for a total distance of 1,305.26 feet to a set iron pin; thence North 61 degrees 41' 42" West 317.86 feet to a found iron pin at the southwest corner of a tract owned by Ohio University and described in Volume 298 Page 629 of the Athens County Deed Records; thence along the southerly property line of said University Lands North 54 degrees 52' 00" East 1,277.43 feet to a point; thence South 86 degrees 32' East 406.82 feet to the point of beginning containing 11.5751 acres and being a part of a 241.113 acre tract described in Volume 38 Page 817 of the Athens County Official Deed Records.

Note: Unless otherwise noted all set iron pins are 5/8 inch diameter rebar 30 inches in length and capped with a plastic identification marker inscribed L.F. Swoyer R.L.S. 6765.

The above description was written by Leonard F. Swoyer Registered Professional Land Surveyor Number 6765 and based on a survey prepared by Southeastern Land Surveys dated August 28, 1989.

Subject to all easements and right of ways of record.

TRACT 3:

Situated in the southeast quarter of Section 8, Town 10, Range 15, Lee Township, Athens County, Ohio and described as follows:

Commencing at the southeast corner of said Section 8; thence on an assumed bearing along the south line of said Section 8 North 86 degrees 11' 54" West 1,148.68 to a set iron pin, THE TRUE POINT OF BEGINNING; thence continuing along the south line of said Section 8 North 86 degrees 11' 54" West (passing a found iron pin at 1,199.03 feet) for a total distance of 1,231.78 feet to a point in the center of Athens County Road 71; thence along the center of said Athens County Road 71 North 08 degrees 29'18" East 394.61 feet to a point in the south right of way of U.S. Route 50; thence along the south right of way of U.S. Route 50 the following three courses:

- 1. South 84 degrees 07'25" East 63.68 feet to a point; thence
  2. North 05 degrees 52'36" East 443.76 feet to a point; thence
  3. North 62 degrees 55'15" East 985.49 feet to a point; thence leaving the said southerly right of way and following a drainage ditch the following three courses:
- 1. South 16 degrees 34'27" East 206.79 feet to a point; thence 2. South 04 degrees 02'15" East 411.25 feet to a point; thence 3. South 07 degrees 22'17" East (passing a set iron pin at 599.38 feet) for a total distance of 753.27 feet to the point of beginning containing 26.5640 acres and being a part of a 78.445 acre tract described in Volume 38 Page 816 of the Athens County Deed Records.

Note: Unless otherwise noted all set iron pins are 5/8 inch diameter rebar 30 inches in length and capped with a plastic identification marker inscribed L.F. Swoyer R.L.S. 6765.

The above description was written by Leonard F. Swoyer Registered Professional Land Surveyor Number 6765 and based on a survey prepared by Southeastern Land Surveys dated August 28, 1989.

Subject to all easements and right of ways of record.

(Description continued on attached sheet)



(Continuation of description)

Subject to all rights of way, restrictions and reservations of record and real estate taxes and assessments which will be prorated to the date of closing. Grantees further grant a license to Grantors, without charge, to use for agricultural purposes any of the acreage described above for a period of five (5) years from the date of this deed; provided, however, that Grantors' use of the land shall not interfere with Grantees' use of this property in the operation of its airport facility.