

## SOUTHEASTERN LAND SURVEYS

18ast Call for 1/20 before 3:00.

LEONARD F. SWOYER
REGISTERED PROFESSIONAL LAND SURVEYOR

3428 Pleasant Hill Road Athens, Ohio 45701 614/593-8701

Situated in the southwest quarter of the southwest quarter of Section 8 and in Fraction 13 Section 14 of Town 6, Range 12, Rome Township, Athens County, Ohio and described as follows:

Commencing at the southwest corner of said Section 8; thence along the south line of said Section 8 South 85°57'53" East 140.15 feet to a point, the southwest corner of a 1.267 acre tract described in Volume 372 Page 167 of the Athens County Deed Records; thence along the west line of said 1.267 acre tract North 13°08'05" East 191.79 feet to a set iron pin at the northwest corner of said 1.267 acre tract, THE TRUE POINT OF BEGINNING; thence along the north line of said 1.267 acre tract North 81°00'45" East 264.06 feet to a set railroad spike, the northeast corner of said 1.267 acre tract; thence along the center of Athens County Road 53 North 03°08'37" West 196.60 feet to a point; thence North 20°43'53" West 322.85 feet to a point; thence North 28°44'31" West 226.66 feet to a point; thence leaving the said Athens County Road 53 South 68°06'44' West (passing a set iron pin at 23.13 feet) for a total distance of 381.69 feet to a set iron pin; thence South 05°12'13" West 294.97 feet to a set iron pin; thence South 49°31'38" East 465.57 feet to the point of beginning containing 7.000 acres there being 4.9773 acres in Section 8 and 2.0227 acres in Fraction 13 Section 14 and being a part of the property described in Volume 47 Page 896 of the Athens County Deed Records.

Note: Unless otherwise noted all set iron pins are 5/8 inch diameter rebar 30 inches in length and capped with a plastic identification marker inscribed L.F. Swoyer R.L.S. 6765.

The above description was written by Leonard F. Swoyer Registered Professional Land Surveyor Number 6765 and based on a survey prepared by Southeastern Land Surveys dated August 1, 1989.

Subject to all easements and right of ways of record.

Description checked for Mathematical Accuracy ATHENS COUNTY ENGINEERS OFFICE


BY: 23

SUBDIVISIONS

CONSTRUCTION




## SOUTHEASTERN LAND SURVEYS



Plat of a 7.	000 Acre	Tract			Scale I"	<u>= 100'</u>	
Surveyed for	Mr. Do	onald Boyer			Date _	8/1/89	)
Subdivision_		SW4-Sec.8 a	nd Fra	ac.13-S€	c14		
Township R	ome	Secti	on 8	and 14	Town6	Range_	12
Corporation		- <del> </del>	Cou	nty Athen	<u>s</u> 5	State_Ohi	.0
Len	and	7-1	ency,	11			)
	·	Reg. Prof. Land	//		 5	$\mathcal{A}$	



## SOUTHEASTERN LAND SURVEYS



Plat of a 7.000 Acre Tract	Scale  "= 100'		
Surveyed forMr. Donald I	BoyerDate	8/1/89	
	ec.8 and Frac.13-Sec14		
Township Rome	_Section 8 and 14Town_	6_Range_12	
Corporation	County Athens	State Ohio	
	Ancyn _		
Cloud T			
onard F. Swoyer II Reg. Pro			