

PARCEL A - WIEMAN

Situated in the Northeast quarter of Section 10, Town 11, Range 15, Waterloo Township, Athens County, Ohio and being more particularly described as follows:

Commencing at a point on the east line of Section 10, said point being the Southeast corner of Fraction 5; thence N^o 83° 31' 43" W, 947.30 feet to an iron pin, said pin being the real point of beginning for the tract herein described; thence N 06° 28' 17" E, 1,385.45 feet to an iron pin, passing through an iron pin at 139.43 feet, an iron pin at 347.43 feet, an iron pin at 521.84 feet and an iron pin at 1,333.20 feet; thence N 85° 04' 29" W, 662.62 feet to an iron pin; thence S 06° 28' 17" W, 1,367.57 feet to an iron pin, passing through an iron pin at 34.37 feet, an iron pin 184.22 feet, an iron pin at 697.07 feet, and a railroad spike in the center of County Road 100 at 923.39 feet; thence S 83° 31' 43" E, 662.38 feet to the place of beginning and containing 20.931 acres.

Subject to all legal highways and easements on record.

Description prepared May, 1978, by Brian D. McPherson, from a survey by Rex E. Maiden, Reg. Surveyor, # 006296.

Description checked for
Mathematical Accuracy
ATHENS COUNTY
ENGINEER'S OFFICE

BY: *Paul Shield*

DATE: *May 17-78*

PARCEL B - WIEMAN

Situated in the Northeast quarter of Section 10, Town 10, Range 15, Waterloo Township, Athens County, Ohio and being more particularly described as follows:

Commencing at a point on the east line of Section 10, said point being the Southeast corner of Fraction 5; thence N 83° 31' 43" W, 947.30 feet to an iron pin, said pin being the Southeast corner of a 20.931 acre tract; thence N 83° 31' 43" W, 662.38 feet to an iron pin; thence N 06° 28' 17" E, 444.18 feet to a railroad spike in the center of County Road 100, said railroad spike being the real point of beginning for the tract herein described; thence following the center of said County Road, N 57° 14' 43" W, 142.40 feet to a railroad spike; thence N 73° 09' 43" W, 167.00 feet to a railroad spike; thence leaving said road N 06° 23' 17" E, 822.37 feet to an iron pin; thence S 85° 04' 29" E, 293.25 feet to an iron pin; thence S 06° 28' 17" W, 923.39 feet to a railroad spike in the center of County Road 100, passing through an iron pin at 34.37 feet, an iron pin at 184.22 feet, an iron pin at 697.07 feet, said railroad spike being the place of beginning and containing 5.787 acres.

Subject to all legal highways and easements on record.

Description prepared May, 1978, by Brian D. McPherson, from a survey by Rex E. Maiden, Reg. Surveyor, # 006296.

Description checked for
Mathematical Accuracy
ATHENS COUNTY
ENGINEER'S OFFICE

BY:

Paul Shields

DATE:

May 17-78

PARCEL C - WIEMAN

Situated in the Northeast quarter of Section 10, Town 11,
Range 15, Waterloo Township, Athens County, Ohio, and being
more particularly described as follows:

Commencing at a point on the East line of
Section 10, said point being the Southeast
corner of Fraction 5; thence N 83°31' 43" W,
313.50 feet to a stone; thence N 83°31' 43" W,
286.35 feet to a railroad spike in the center
of County Road 100; thence N 83°31' 43" W,
347.45 feet to an iron pin, said pin being the
Southeast corner of a 20.273 acre tract; thence
N 83°31' 43" W, 662.38 feet to an iron pin,
said pin being the real point of beginning for
the tract herein described; thence N 83°31' 43" W,
291.17 feet to an iron pin; thence N 06°23' 17" E,
537.29 feet to a railroad spike in the center of
County Road 100, passing through an iron pin at
512.29 feet; thence along the center of said road
S 73°09' 43" E, 167.00 feet to a railroad spike;
thence S 57°14' 43" E, 142.40 feet to a railroad
spike; thence leaving said road S 06°28' 17" W,
444.18 feet to the place of beginning and
containing 3.359 acres.

Subject to all legal highways and easements on
record.

The above tract of land describes a total of
3.359 acres of land, which includes a 1.15 acres
tract of land owned by Jan Jai Eldridge. The
entire described tract will be deeded to the
above mentioned party.

Description prepared May, 1978, by Brian D. McPherson,
from a survey by Rex E. Maiden, Reg. Surveyor, # 006296.

Description checked for
Mathematical Accuracy
ATHENS COUNTY
ENGINEER'S OFFICE

BY: *[Signature]*

DATE: *May 17-78*

ROBERT L. & NANCY
STEENROD
309-921



19

TOWN - 11 RANGE - 15
SECTION 10
ATHEYS CO., WATERLOO TWP., OHIO
SURVEY OF A 20.931 AC. TRACT
AND A 5.787 AC. TRACT FROM
A 48.15 AC. TRACT OWNED BY
ROBERT & NANCY WIEMAN.
(MAY 1978)

PARCEL A & B
PARCEL C
SURVEYED BY RYLE E. MAIDEN
REV. # S-006296
PREPARED BY BRIAN D. MCPHERSON

SURVEY OF A 3.359 AC. TRACT
FROM A 1.15 AC. TRACT OWNED BY
JAN JAI ELDRIDGE AND A 48.15 AC.
TRACT OWNED BY ROBERT WIEMAN.

20

ROBERT L. & NANCY WIEMAN
STEENROD
301-421

ROBERT L. & NANCY WIEMAN
301-421
24.92 AC.

3.32 AC
2.18 AC
50.93 AC

OK
action by
County Health Dept
5/17/78

TOWN - 11 RANGE - 15
SECTION 10
MILERS CO., WATERLOO TWP., OHIO
SURVEY OF A 20.931 AC. TRACT
AND A 5.797 AC. TRACT FROM
R. 1915 AC. TRACT OWNED BY
ROBERT & NANCY WIEMAN.
(MAY, 1978)

PARCEL A & B
PARCEL C
SURVEYED BY: REX E. MILDEN
RE.# S-000296
PREPARED BY: BRIAN D. McPHERSON

SURVEY OF A 3.354 AC. TRACT
FROM A 1.15 AC. TRACT OWNED BY
JIM T. ELDRIDGE AND A 2.18 AC.
TRACT OWNED BY ROBERT WIEMAN.

