EXHIBIT "A" Description of a 7.616 Acre Tract

Situated in Sections 26 and 27, Town 12, Range 15, York Township, Athens County, State of Ohio, being part of Parcel P010010024104 as described in Volume 574, Page 1618 of the Official Records of Athens County, Ohio, and being more particularly described as follows:

COMMENCING at an iron pin found with a "Seymour & Assoc." cap at the Northwest Corner of the Northeast Quarter of Section 26 and said iron pin being the **POINT OF BEGINNING** for the tract herein described:

Thence North 84°44'20" West, 609.92 feet along said Section line and a common boundary line of Scioto Land Company, LLC (OR 574-1618) and Elliott (OR 463-8) to an iron pin found with a "Seymour & Assoc." cap passing an iron pin found with a "Newman PS-8043" cap at 66.35 feet;

Thence South 65°56'59" West, 42.49 feet along a common boundary line of Scioto Land Company, LLC (OR 574-1618) and Elliott (OR 463-8) to an iron pin found;

Thence North 39°15'40" East, 25.09 feet to an iron pin found on the north line of Section 26;

Thence North 84°44'20" West, 35.24 feet to a mag nail set at the intersection of said section line with the centerline of Connett Rd (CR2);

Thence along new lines created by this survey the following five courses along the centerline of Connett Rd (CR2):

- 1. North 40°28'17" East, 184.50 feet to a point;
- 2. North 43°12'10" East, 112.33 feet to a point;
- 3. North 50°40'07" East, 128.59 feet to a point;
- 4. North 63°31'59" East, 73.21 feet to a point;
- 5. North 76°44'44" East, 70.52 feet to a mag nail set on the south line of Wollett (OR 537-151) and the north line of Scioto Land Company, LLC (OR 574-1618);

Thence South 86°42'47" East, 118.16 feet along Connett Rd (CR2) and said common boundary line to a point at the southwest corner of Adams (OR 355-2375) and said point being referenced by a railroad spike found that bears N31°02'45"E, 0.40 feet;

Thence along Connett Rd (CR2) and the common boundary line of Adams (OR 355-2375) and Scioto Land Company, LLC (OR 574-1618) the following two courses:

- 1. South 78°42'10" East, 153.69 feet to an iron pin found with a "S.A.M. INC." cap;
- 2. South 62°41'10" East, 411.80 feet to an iron pin found with a "S.A.M. INC." cap in the intersection of Connett Rd (CR2) and Cullison Rd (TR446) and said pin being at the southwest corner of Connett Church (DB 23-30);

Thence South 37°23'50" East, 141.15 feet along Connett Rd (CR2) and the common boundary line of Connett Church (DB 23-30) and Scioto Land Company, LLC (OR 574-1618) to a mag nail found on the east line of Fraction 11 and at the northeasterly corner of Elliott (OR 463-8);

Thence leaving Connett Rd (CR2) and along common boundary lines of Elliott (OR 463-8) and Scioto Land Company, LLC (OR 574-1618) the following two courses:

- 1. **South 04°29'18" West, 120.00 feet** to an iron pin found with a "S.A.M. INC." cap on the south line of Section 27;
- 2. **North 84°44'20" West, 477.84 feet** to the point of beginning and containing 7.616 acres of which 7.611 acres is in Section 27 and 0.005 acres is in Section 26.

Unless otherwise noted, all set iron pins are 5/8 inch diameter rebar, 30 inches in length and capped with a plastic identification marker inscribed Stevens, PS 8716.

Bearings are to an assumed meridian and are for angular determination only.

Subject to all Easements and Rights of Way of Record.

The above description was prepared by Donnie E. Stevens II, Ohio Registered Surveyor 8716 in February 2021.

Legal Description Pre-Approval
APPROVED
All transfers are subject to
Athens County Conveyance Standards

MAR 1 1 2021

Jill Thompson Athens County Auditor Donnie Stevens II Scistere Stevens II Science Stevens II

Donnie E. Stevens II, PS 8716

Description Checked for Mathematical Accuracy Athens County

BY: __

