

and Associates Surveying

P. O. BOX 393

Racine, Ohio 45771

DESCRIPTION OF SURVEY FOR SAM DARST

TRACT XIII

Being a part of a tract of land transferred to Sammy L. and Sherry Darst as recorded in Official Records Book 179 at Page 474, Athens County Recorder's Office, Athens County Ohio, also being a part of Farm Lot No. 1, Section 20, Township-8-North, Range-14-West, Alexander Township, Athens County, State of Ohio and more particularly described as follows:

Beginning at an existing wooden post being the Northwest corner of said Farm Lot No. 1;

Thence along the North line of said Farm Lot No. 1 South  $80^{\circ}24'34''$  East a distance of 355.86 feet to a 5/8'' iron pin set;

Thence leaving said North line South 09°37'00" West passing thru a 5/8" iron pin set at a distance of 1474.29 feet and going a total distance of 1494.29 feet to a point in the centerline of County Road #15;

Thence along said centerline the following three courses:

- 1. South 53°20'46" West a distance of 316.46 feet to a point;
- 2. South 64°11'52" West a distance of 66.52 feet to a point;
- 3. North 87°15'39" West a distance of 83.50 feet to a point on the West line of said Farm Lot No. 1;

Thence leaving said centerline and along said West line North 09°37'00" East a passing thru a 5/8" iron pin set at a distance of 20.00 feet and going a total distance of 1771.36 feet to the principal point of beginning containing 13.608 acres± subject to all legal easements and rights-of-way.

Bearings were derived from magnetic taken July 11, 1995.

The above description was prepared from an actual survey made on the 21st day of February 1997, by C. Thomas Smith, Ohio Professional Surveyor, #6844.

C. Thomas Smith, P.S. #6844



### and Associates Surveying.

P. O. BOX 393 Racine, Ohio 45771

DESCRIPTION OF SURVEY FOR SAM DARST TRACT XII

Being a part of a tract of land transferred to Sammy L. and Sherry Darst as recorded in Official Records Book 179 at Page 474, Athens County Recorder's Office, Athens County Ohio, also being a part of Farm Lot No. 1, Section 20, Township-8-North, Range-14-West, Alexander Township, Athens County, State of Ohio and more particularly described as follows:

Beginning at a 5/8" iron pin set on the North line of said Farm Lot No. 1 and bears South 80°24'34" East a distance of 355.86 feet from the Northwest corner of said Lot No. 1;

Thence along said North line South 80°24'34" East a distance of 366.12 feet to a 5/8" iron pin set;

Thence leaving said North line South 09°37'00" West passing thru a 5/8" iron pin set at a distance of 1275.47 feet and going a total distance of 1295.47 feet to a point in the centerline of County Road #15;

Thence along said centerline the following two courses:

- 1. South 72°04'47" West a distance of 304.80 feet to a point;
- 2. South 68°24'30" West a distance of 112.07 feet to a point;

Thence leaving said centerline North 09°37'00" East passing thru a 5/8" iron pin set at a distance of 20.00 feet and going a total distance of 1494.29 feet to the principal point of beginning containing 11.699 acres± subject to all legal easements and rights-of-way.

Bearings were derived from magnetic taken July 11, 1995.

The above description was prepared from an actual survey made on the 21st day of February 1997, by C. Thomas Smith, Ohio Professional Surveyor, #6844.

C. Thomas Smith, P.S. #6844

S. Blauser 3-13-97 MAN IN

# C. THOMAS SMITH

and Associates Surveying.

r. o. Box 393 Racine, Ohio 45771

DESCRIPTION OF SURVEY FOR SAM DARST TRACT XI

Being a part of a tract of land transferred to Sammy L. and Sherry Darst as recorded in Official Records Book 179 at Page 474, Athens County Recorder's Office, Athens County Ohio, also being a part of Farm Lot No. 1, Section 20, Township-8-North, Range-14-West, Alexander Township, Athens County, State of Ohio and more particularly described as follows:

Beginning at a 5/8" iron pin set on the North line of said Farm Lot No. 1 and bears South 80°24'34" East a distance of 721.98 feet from the Northwest corner of said Lot No. 1;

Thence along said North line South 80°24'34" East a distance of 200.00feet to a 5/8" iron pin set;

Thence leaving said North line South 01°43'06" West passing thru a 5/8" iron pin set at a distance of 1101.57 feet and going a total distance of 1121.57 feet to a point being the intersection of Township Road #51 and County Road #15;

Thence along the centerline of County Road #15 South 72°04'47" West a distance of 399.37 feet to a point;

Thence leaving said centerline North 09°37'00" East passing thru a 5/8" iron pin set at a distance of 20.00 feet and going a total distance of 1295.47 feet to the principal point of beginning containing 7.816 acres± subject to all legal easements and rights-of-way.

Bearings were derived from magnetic taken July 11, 1995.

The above description was prepared from an actual survey made on the 21st day of February 1997, by C. Thomas Smith, Ohio Professional Surveyor, #6844.

C. Thomas Smith, P.S. #6844

S. Blauser 3-13-97



and Associates Surveying.

r. o. Box 393 Racine, Ohio 45771

### DESCRIPTION OF SURVEY FOR SAM DARST TRACT X

Being a part of a tract of land transferred to Sammy L. and Sherry Darst as recorded in Official Records Book 179 at Page 474, Athens County Recorder's Office, Athens County Ohio, also being a part of Farm Lot No. 1, Section 20, Township-8-North, Range-14-West, Alexander Township, Athens County, State of Ohio and more particularly described as follows:

Beginning at a 5/8" iron pin set on the North line of said Farm Lot No. 1 and bears South 80°24'34" East a distance of 921.98 feet from the Northwest corner of said Lot No. 1;

Thence along said North line South 80°24'34" East a distance of 484.98feet to a 5/8" iron pin set;

Thence leaving said North line South 11°53'56" West passing thru a 5/8" iron pin set at a distance of 977.95 feet, and going a total distance of 999.97 feet to a point in the centerline of Township Road #51;

Thence along said centerline South 78°34'18" West a distance of 311.83 feet to a point being the intersection of said Township Road #51 and County Road #15;

Thence leaving said centerline North 01°43'06" East passing thru a 5/8" iron pin set at a distance of 20.00 feet and going a total distance of 1121.57 feet to the principal point of beginning containing 9.471 acres± subject to all easements and rights-of-way.

Bearings were derived from magnetic taken July 11, 1995.

The above description was prepared from an actual survey made on the 21st day of February 1997, by C. Thomas Smith, Ohio Professional Surveyor, #6844.

C. Thomas Smith, P.S. #6844

8. Blauser 3-13-97



and Associates Surveying.

r. o. Box 393 Racine, Ohio 45771

#### DESCRIPTION OF SURVEY FOR SAM DARST TRACT IX

Being a part of a tract of land transferred to Sammy L. and Sherry Darst as recorded in Official Records Book 179 at Page 474, Athens County Recorder's Office, Athens County Ohio, also being a part of Farm Lot No. 1, Section 20, Township-8-North, Range-14-West, Alexander Township, Athens County, State of Ohio and more particularly described as follows:

Beginning at a 5/8" iron pin set on the North line of said Farm Lot No. 1 and bears South 80°24'34" East a distance of 1406.96 feet from the Northwest corner of said Lot No. 1;

Thence along said North line South  $80^{\circ}24'34''$  East a distance of 327.90 feet to a 5/8'' iron pin set;

Thence leaving said North line South 28°30'01" East a distance of 771.16 feet to an existing iron pin in the centerline of Township Road #15;

Thence along said centerline the following three courses:

- 1. South 59°10'28" West a distance of 138.56 feet to a point;
- 2. South 67°42'12" West a distance of 92.38 feet to a point;
- 3. South 78°34'18" West a distance of 707.01 feet to a point;

Thence leaving said centerline North 11°53'56" East passing thru a 5/8" iron pin set at a distance of 22.02 feet and going a total distance of 999.97 feet to the principal point of beginning containing 12.318 acres± subject to all legal easements and rights-of-way.

Bearings were derived from magnetic taken July 11, 1995.

The above description was prepared from an actual survey made on the 21st day of February 1997, by C. Thomas Smith, Ohio Professional Surveyor, #6844.

C. Thomas Smith, P.S. #684

Comparison of Landrosci Langines BY: DATE:

> 8. Blauser 3-18-91

77



and Associates Surveying.

r. O. BOX 393

Racine, Ohio 45771

DESCRIPTION OF SURVEY FOR SAM DARST TRACT IX

Being a part of a tract of land transferred to Sammy L. and Sherry Darst as recorded in Official Records Book 179 at Page 474, Athens County Recorder's Office, Athens County Ohio, also being a part of Farm Lot No. 1, Section 20, Township-8-North, Range-14-West, Alexander Township, Athens County, State of Ohio and more particularly described as follows:

Beginning at a 5/8" iron pin set on the North line of said Farm Lot No. 1 and bears South 80°24'34" East a distance of 1406.96 feet from the Northwest corner of said Lot No. 1;

Thence along said North line South 80°24'34" East a distance of 327.90 feet to a 5/8" iron pin set;

Thence leaving said North line South 28°30'01" East a distance of 771.16 feet. to an existing iron pin in the centerline of Township Road #15;

Thence along said centerline the following three courses:

- South 59°10'28" West a distance of 138.56 feet to a point; South 67°42'12" West a distance of 92.38 feet to a point;
- 3. South 78°34'13" West a distance of 707.01 feet to a point;

Thence leaving said centerline North 11°53'56" East passing thru a 5/8" iron pin set at a distance of 22.02 feet and going a total distance of 999.97 feet to the principal point of beginning containing 12.318 acrest subject to all legal easements and rights-of-way.

Bearings were derived from magnetic taken July 11, 1995.

The above description was prepared from an actual survey made on the 21st day of February 1997, by C. Thomas Smith, Ohio Professional Surveyor, #6844.

C. Thomas Smith, P.S. #6844

S. Blause

and Associates Surveying.

P. O. BOX 393 Racine, Ohio 45771

DESCRIPTION OF SURVEY FOR SAM DARST TRACT VIII

Being a part of a tract of land transferred to Sammy L. and Sherry Darst as recorded in Official Records Book 179 at Page 474, Athens County Recorder's Office, Athens County Ohio, also being a part of Farm Lot No. 1, Section 20, Township-8-North, Range-14-West, Alexander Township, Athens County, State of Ohio and more particularly described as follows:

Beginning at a point being the intersection of the centerline of County Road #15 and the centerline of Township Road #51 said point bears South 80°24'34" East a distance of 921.98 feet and South 01°43'06" West a distance of 1121.57 feet from the Northwest corner of said Farm Lot No. 1;

Thence along the centerline of Township Road #51 North 78°34'18" East a distance of 959.11 feet to a point;

Thence South 07°24'29" East passing thru 5/8" iron pins set at a distance of 20.29 feet and at a distance of 663.82 feet and going a total distance of 683.82 feet to a point in the centerline of County Road #15;

Thence along said centerline the following three courses:

- North 66°31'46" West a distance of 197.31 feet to a point;
  North 62°48'57" West a distance of 869.89 feet to a point;
  North 80°40'09" West a distance of 74.46 feet to the principal point of beginning containing 7.368 acres± subject to all legal easements and rights-of-way.

Bearings were derived from magnetic taken July 11, 1995.

The above description was prepared from an actual survey made on the 21st day of February 1997, by C. Thomas Smith, Ohio Professional Surveyor, #6844.

8, Blauser 3-13-97



and Associates Surveying,

P. O. BOX 393 Racine, Ohio 45771

DESCRIPTION OF SURVEY FOR SAM DARST TRACT VII

Being a part of a tract of land transferred to Sammy L. and Sherry Darst as recorded in Official Records Book 179 at Page 474, Athens County Recorder's Office, Athens County Ohio, also being a part of Farm Lot No. 1, Section 20, Township-8-North, Range-14-West, Alexander Township, Athens County, State of Ohio and more particularly described as follows:

Beginning at an existing iron pin in the centerline of Township Road #51 which bears South 80°24'34" East a distance of 1734.86 feet and South 28°30'01" East a distance of 771.16 feet from the Northwest corner of said Farm Lot No. 1;

Thence along said centerline the following three courses:

- 1. South 59°10'28" West a distance of 138.56 feet to a point;
- 2. South 67°42'12" West a distance of 92.38 feet to a point;
- 3. South 78°34'13" West a distance of 59.73 feet to a point;

Thence leaving said centerline South 07°24'29" East passing thru 5/8" iron pins set at a distance of 20.29 feet and at a distance of 663.82 feet and going a total distance of 683.82 feet to a point in the centerline of County Road #15;

Thence along said centerline the following four courses:

- 1. North 89°02'58" East a distance of 95.11 feet to a point;
- 2. North 79°05'10" East a distance of 80.71 feet to a point;
- 3. North 69°42'53" East a distance of 66.69 feet to a point;
- 4. North 83°48'12" East a distance of 58.93 feet to a point;

Thence leaving said centerline North 12°49'10" West a distance of 21.82 feet to a 5/8" iron pin set;

Thence North 43°22'22" East a distance of 486.55 feet to a stone;

Thence North 50°12'44" West a distance of 585.53 feet to the principal point of beginning containing 7.999 acres± subject to all legal easements and rights-of-way.

Bearings were derived from magnetic taken July 11, 1995.

The above description was prepared from an actual survey made on the 21st day of February 1997, by C. Thomas Smith, Ohio Professional Surveyor, #6844.

8. Blause

C. Thomas Smith, P.S. #6844

.

80



### and Associates Surveying.

P. O. BOX 393

Racine, Ohio 45771

DESCRIPTION OF SURVEY FOR SAM DARST TRACT VII

Being a part of a tract of land transferred to Sammy L. and Sherry Darst as recorded in Official Records Book 179 at Page 474, Athens County Recorder's Office, Athens County Ohio, also being a part of Farm Lot No. 1, Section 20, Township-8-North, Range-14-West, Alexander Township, Athens County, State of Ohio and more particularly described as follows:

Beginning at an existing iron pin in the centerline of Township Road #51 which bears South 80°24'34" East a distance of 1734.86 feet and South 28°30'01" East a distance of 771.16 feet from the Northwest corner of said Farm Lot No. 1;

Thence along said centerline the following three courses:

- 1. South 59°10'28" West a distance of 138.56 feet to a point;
- 2. South 67°42'12" West a distance of 92.38 feet to a point;
- 3. South 78°34'18" West a distance of 59.73 feet to a point;

Thence leaving said centerline South 07°24'29" East passing thru 5/8" iron pins set at a distance of 20.29 feet and at a distance of 663.82 feet and going a total distance of 683.82 feet to a point in the centerline of County Road #15;

Thence along said centerline the following four courses:

- 1. North 89°02'58" East a distance of 95.11 feet to a point;
- 2. North 79°05'10" East a distance of 80.71 feet to a point;
- 3. North 69°42'53" East a distance of 66.69 feet to a point;
- 4. North 83°48'12" East a distance of 58.93 feet to a point;

Thence leaving said centerline North 12°49'10" West a distance of 21.82 feet to a 5/8" iron pin set;

Thence North 43°22'22" East a distance of 486.55 feet to a stone;

Thence North 50°12'44" West a distance of 585.53 feet to the principal point of beginning containing 7.999 acres± subject to all legal easements and rights-of-way.


Bearings were derived from magnetic taken July 11, 1995.

The above description was prepared from an actual survey made on the 21st day of February 1997, by C. Thomas Smith, Ohio Professional Surveyor, #6844.

C. Thomas Smith, P.S. #6844

8. Blauser 3-18-97

8/



ORHA. NOTE: BEARINGS WERE DERIVED FROM MAGNETIC TAKEN 7-11-95. D. McDAN167 400 LEGEND . S/B" IRON BIN SET O- EXISTING ERON PIN D- EXISTING WOODEN POST - STONE - POINT REFERENCE 3 TRACT YIL CURRENT TAX PLATS 7.999 ACT U.S.G.S. TOPO MAPS A ECIAL PHOTO GRAPH S SURVEY BOOK " & PAGE 303 DEEDS: AS NOTED ON PLAT O.R.V. 179 PG 474 Cu. 120=15 TRACT III 8.121452 PLAT PREPARED FROM AN ACTUAL SURVEY MADE ON THE 11 TH DAY OF JULY, 1995 BY, No 6844 PLAT REVISED FEBRUARY 212, 1997 BY. C.T.S.