Phone 740-753-1264 Fax 740-753-1264

## Description of a 1.061 Acre Tract

Situated in Section 25, Fraction 3, T-8, R-14, Alexander Township, Athens County, State of Ohio and being a part of what was a 15.00 acre tract as described in Volume 169, Page 626 of the Official Records of Athens County and being more particularly described as follows:

BEGINNING at a point in the center of SR-681 that bears North 90°00'00'East, 453.00 feet and South 20°57'36'East, 270.67 feet from the Northwest corner of Fraction 3,

THENCE leaving said road and along the south line of a 4.038 acre tract North 84°11'58"East, 316.22 feet to an iron pin set (passing an iron pin found at 67.13 feet),

THENCE along a new line South 0°06'34"East, 173.06 feet to an iron pin set,

THENCE along another new line South 89°38'23"West, 265.46 feet to a point in the center of SR-681 (passing an iron pin set at 237.72 feet),

THENCE along the center of said road North 19°06'49"West, 151.10 feet to the point of beginning and containing 1.061 acres.

Bearings are to an assumed meridian and are for angular determination only

Subject to all Easements and Rights of Way of record

enneth E. Highland

HIGHLAND S-7531

> Description checked for Mathematical Accuracy Mathematical Accuracy ATHENS COUNTY ATHENS COUNTY ENGINEER'S OFFICE ENGINEER'S OFFICE

> > 20

Friday, July 09, 1999 10:14 am.

Pg: 1

	Point	Direction	Distance	Northing	Easting	Elevation
Database	opened	l: Friday, July 09, 1999	10:12 am.			
Assigned	point					
	1			5000.00000	5000.00000	0.000
Start						
	1			5000.00000	5000.00000	0.000
Raw:	n84	4.1158e	316.22			
ΓR	]	N 84°11'58.0" E	316.220			
	2			5031.95907	5314.60087	7 0.000
Raw:	s00	).0634e	173.06			
ΓR		S 0°06'34.0" E	173.060			
3				4858.89939	5314.93144	0.000
Raw:	s89	).3823w	265.46			
ΓR		S 89°38'23.0" W	265.460			
	4			4857.23018	5049,47669	0.000
Raw:	n19	9.0649w	151.10			
ΓR	1	N 19*06'49.0" W	151.100			
	5			5000.00021	5000.00015	0.000
IN		S 35°03'55.8" W	0.000			
	1			5000.00000	5000.00000	0.000
Area = 46	218.38	8 Sq. Feet or 1.061 Ac	res			
Database	Saved:	Friday, July 09, 1999	10:14 am.			

HIGHLAND SURVEYING Registered Professional Land Surveyor Point of Beginning Bears N 90 00'00"E, 453.00, and S 20 57'36"E, 270.67' from the Northwest corner of Fraction 3 Gilkey \*6.7.3. Hill 169-62 OR 1.061 Ac. S 89°38'23"W 265.46' Hill 169-62 OR ∘ = Iron Pin Set = Iron Pin Found 100' Description checked for Mathematical Accuracy ATHENS COUNTY ENGINEER'S OFFICE BY: S. Blan PLAT OF SURVEY OF A 1.061 Ac. Trace OF OF OUT SURVEYED FOR RANDY H KENNETH TOWNSHIP ALEXANDER SECTION 25 TOWN & RANGE 14 SUBDIVISION\_ E. HIGHLAND COUNTY ATHEND STATE OHO CORPORATION Kenneth E. Highland 80 Fayette St. SCALE 1"= 50 DATE JUNE 1999 Nelsonville, Ohio 45764 740-753-1264 Kenneth E. Highland S-7581