

SOUTHEASTERN LAND SURVEYS

LEONARD F. SWOYER
REGISTERED PROFESSIONAL LAND SURVEYOR

3428 Pleasant Hill Road Athens, Ohio 45701 614/593-8701

Situated in Fraction 2 (which is partly in Section 9 and partly in Section 15) and in Section 8 of Ames Township, Town 6, Range 13, Athens County, Ohio and described as follows:

Commencing at the northwest corner of said Fraction 2; thence along the west line of said Fraction 2 on an assumed bearing South 05°32'22" West 712.80 feet (10.80 chains) to an existing fence corner post at the northwest corner of an 86.0 acre tract described as being the first tract of the second parcel of the lands described in Volume 52 Page 762 of the Athens County Official Deed Records; thence continuing along the west line of said Fraction 2 and the west line of said 86.0 acre tract South 05°32'22" West 1,909.20 feet to a point in the center of Ames Township Road 342, said point is THE TRUE POINT OF BEGINNING; thence leaving said road and continuing along the west line of said Fraction 2 and the west line of said 86.0 acre tract South 05°32'22" West 898.32 feet to a point, said point being the southwest corner of said 86.0 acre tract; thence leaving the west line of said Fraction 2 and along the southerly line of said 86.0 acre tract described as being the sixth tract of the first parcel of lands described in said Volume 52 Page 762 of the Athens County Official Deed Records the following three bearings and distances:

- 1) South 80°10'04" East 320.76 feet (4.86 chains) to a point; thence
- 2) South 03°26'41" East 165.00 feet (2.5 chains) to a point; thence
- 3) South 81°59'01" East 660.00 feet to a point at the southeast corner of said 86.0 acre tract and the northeast corner of said 10 acre tract; thence leaving said southerly line of said 86.0 acre tract and along the easterly line of said 10 acre tract and along the westerly line of a 119.76 acre tract described as being the second tract of the second parcel of the lands described in the aforesaid Volume 52 Page 762 of the Athens County Official Deed Records South 00°03'19" East 280.83 feet to a point on the south line of Fraction 2, Section 9, said point being the southeast corner of said 10 acre tract; thence along said south line of Fraction 2 and said westerly line of said 119.76 acre tract and the south line of said 10 acre tract North 84°27'38" West 188.56 feet to a point; thence leaving said

Ames 8



SOUTHEASTERN LAND SURVEYS

LEONARD F. SWOYER
REGISTERED PROFESSIONAL LAND SURVEYOR.

3428 Pleasant Hill Road Athens, Ohio 45701 614/593-8701

south line of said Fraction 2 and said south line of said 10 acre tract and along said westerly line of said 119.76 acre tract and along the easterly line of a 54.02 acre tract described as being the forth tract of the first parcel of lands described in the aforesaid Volume 52 Page 762 of the Athens County Official Deed Records and along the northerly line of a 185.33 acre tract described in Volume 376 Page 848 of the Athens County Official Deed Records South 36°05'00" East (passing a found one and one half inch pipe at 1,278.08 feet) for a total distance of 1,912.58 feet to a point in the center of State Route 550, said point being the southwest corner of said 119.76 acre tract and the southwest corner of a 2.70 acre tract described as being the fifth tract of the first parcel of lands described in said Deed Volume 52 Page 762 of the Athens County Official Deed Records; thence leaving said westerly line of said 119.76 acre tract and along said northerly line of said 185.33 acre tract and along the southerly line of said 2.70 acre tract and the center of said State Route 550 the following six bearings and distances:

- 1) North 57°22'03" East 219.44 feet to a point; thence
- 2) North 60°57'22" East 191.02 feet to a point; thence
- 3) North 68°16'09" East 172.37 feet to a point; thence
- 4) North 74°04'33" East 126.68 feet to a point; thence
- 5) North 79°38'00" East 154.12 feet to a point; thence
- 6) North 85°39'32" East 166.51 feet to a point at the intersection of the center of said State Route 550 and the aforesaid Ames Township Road 342, being the southeast corner of said 2.70 acre tract; thence leaving the center of said State Route 550 and said southerly line of said 2.70 acre tract and said northerly line of said 185.33 acre tract on a random line along the center of said Ames Township Road 342, the following twenty three bearings and distances:
- 1) North 11°00'06" West 50.99 feet to a point; thence
- 2) North 15°42'20" West 119.25 feet to a point; thence
- 3) North 26°38'42" West 114.81 feet to a point; thence
- 4) North 55°13'41" West 103.97 feet to a point; thence
- 5) North 66°09'09" West 94.89 feet to a point; thence





SOUTHEASTERN LAND SURVEYS

LEONARD F. SWOYER REGISTERED PROFESSIONAL LAND SURVEYOR

3428 Pleasant Hill Road Athens, Ohio 45701 614/593-8701

- 6) North 56°36'00" West 118.42 feet to a point; thence
- 7) North 46°47'08" West 90.90 feet to a point; thence
- 8) North 49°33'50" West 152.68 feet to a point; thence
- 9) North 43°26'51" West 390.95 feet to a point; thence
- 10)North 44°56'30" West 283.34 feet to a point; thence
- 11) North 43°41'45" West 256.62 feet to a point; thence
- 12) North 34°15'14" West 75.19 feet to a point; thence
- 13) North 15°14'17" West 147.77 feet to a point; thence
- 14)North 24°36'59" West 78.30 feet to a point; thence
- 15) North 34°10'56" West 308.54 feet to a point; thence
- 16)North 34°50'17" West 138.16 feet to a point; thence
- 17) North 49°26'57" West 171.53 feet to a point; thence
- 18) North 60°12'13" West 336.98 feet to a point; thence
- 19) North 64°37'19" West 200.63 feet to a point; thence
- 20) North 62°55'06" West 209.80 feet to a point; thence
- 21)North 60°15'35" West 158.45 feet to a point; thence
- 22) North 54°17'09" West 146.98 feet to a point; thence

23)North 52°56'12" West 220.73 feet to the point of beginning and containing 61.753 acres and being a part of the following tracts of the lands described in Volume 52 Page 762 of the Athens County Official Deed Records: 20.152 acres (in Fraction 2) out of the 86.0 acre tract described as being the first tract of the second parcel; 39.458 acres (8.36 acres in Fraction 2 and 31.098 acres in Section 8) out of the 119.76 acre tract described as being the second tract of the second parcel; 2.143 acres (in Section 8) out of the 2.70 acre tract described as being the fifth tract of the first parcel. In the aforesaid 61.753 acre tract there are a total of 28.512 acres in Fraction 2 and 33.241 acres in Section 8.

Note: Unless otherwise noted all set iron pins are 5/8 inch in diameter and 30 inches in length and capped with a plastic identification marker scribed Leonard F. Swoyer R.L.S. 6765. (No iron pins were set in this survey)

The above description was prepared under the supervision of Leonard F. Swoyer Registered Professional Land Surveyor Number 6765 Endiprofessed on a survey performed by Southeastern Land Surveys dated January 2 Mathematical Accuracy ATHENS COUNTY

Subject to all easements and right of ways of record.

BY: Schenberg DATE: 1-24-91

PROPERTY CONSTRUCTION

SUBDIVISIONS

