Exhibit "A"



SOUTHEASTERN LAND SURVEYS

LEONARD F. SWOYER
REGISTERED PROFESSIONAL LAND SURVEYOR

3428 Pleasant Hill Road Athens, Ohio 45701 614/593-8701

Situated in the southeast quarter of Section 5, Town 10, Range 14, Dover Township, Athens County, Ohio and described as follows:

Commencing at the southeast corner of said Section 5; thence along the south line of said Section 5 North 83°24'00" West 891.27 feet to a set iron pin, THE TRUE POINT OF BEGINNING: thence along the south line of said Section 5 North 83°24' West 484.18 feet to a found iron pin on the west line of a 15.68 acre tract described in Volume 368 Page 673 of the Athens County Deed Records; thence along the west line of said 15.68 acre tract North 20°09'00" West (passing a set iron pin at 394.09) for a total distance of 545.73 feet to a found railroad spike at the northeast corner of said 15.68 acre tract; thence along the center of Athens County Road 94 North 79°20'00" East 66.16 feet to a point thence North 63°38'00" East 232.75 feet to a point; thence leaving the said Athens County Road 94 South 23°43'53" East 322.67 feet to a set iron pin; thence South 34°22'26" East 470.33 feet to the point of beginning containing 5.0100 acres and being a part of a 24.32 acre tract described in Volume 349 Page 749 of the Athens County Deeds Records.

Note: Unless otherwise noted all set iron pins are 5/8 inch diameter rebar 30 inches in length and capped with a plastic identification marker inscribed L.F. Swoyer R.L.S. 6765.

The above description was written by Leonard F. Swoyer Registered Professional Land Surveyor Number 6765 and based on a survey prepared by Southeastern Land Surveys dated May 2, 1988.

Subject to all easements and right of ways of record.

Present Adjoiners 2011:

A - McCoy (156-866 OR)

B - McCoy (445-365 OR)
C - Pondor (375-446 OR)

C - Ponder (375-446 OR) D - Ponder (375-446 OR)

& Fetherolf (430-2023 OR)

Mathematical Accused

ATHENS COUNTY

EX GINEER'S OFFICE

Chir Gla

5-24-88



