1.103 Acre Survey for Marilyn Moore

Situate in the State of Ohio, Athens County, Trimble Township, Section 2, Township 11 North, Range 14 West, Ohio Company Purchase and being part of a 7.500 acre parcel conveyed to Richard Moore and Marilyn Moore recorded in Volume 311, Page 923 of the Athens County Recorder's office and being more particularly described as follows:

Beginning at an iron pin found with a Newman cap on the grantors east line being the northeast corner of Lot 5 and the northwest corner of Lot 6 of Trimble Heights Subdivision recorded in Envelope 277B;

Thence from the **Point of Beginning** South 58 Degrees 01 Minutes 26 Seconds West a distance of 15.78 feet along the west line of said Lot 5 of Trimble Heights Subdivision to a bent iron pin found with no cap at the grantors southeast corner being an easterly corner of Lot 2 of Antle Subdivision recorded in Envelope 510A;

Thence North 41 Degrees 45 Minutes 07 Seconds West a distance of 74.08 feet along the grantors south line being an easterly line of said Lot 2 of Antle Subdivision to an iron pin found with a canter cap at the grantors southwest corner being a point on the east line of said Lot 2 of Antle Subdivision;

Thence North 19 Degrees 49 Minutes 58 Seconds East a distance of 318.49 feet along the grantors west line being the east line of Lot 2 of Antle Subdivision to an iron pin set;

Thence South 40 Degrees 41 Minutes 33 Seconds East a distance of 273.08 feet along a new division line to a point on the grantors east line being a point on the west line of Lot 6 of Trimble Heights Subdivision (passing an iron pin set at 243.16 feet);

Thence South 58 Degrees 01 Minutes 26 Seconds West a distance of 263.37 feet along the grantors east line being the west line of Lot 6 of Trimble Heights Subdivision to the **Point of Beginning**.

The above described contains 1.103 acres more or less and is contained in Auditor's Parcel Number M010010009200 which presently contains 6.288 acres.

To be used as a cemetery.

Subject to a 30 foot road recorded in Volume 311, Page 923.

Subject to all legal easements and rights of way.

Plat of survey is attached hereto an made a part thereof.

All iron pins set are 3/4 inch diameter x 30 inch long rebar with a plastic cap stamped "Canter S-7226".

This description was prepared under the direction of Robert C. Canter, Registered Surveyor No. 7226 and is based on a field survey, completed October 2021.

Prior Instrument Reference as of this writing is in Volume 311, Page 923 of the Athens County Recorder's Office.

All bearings, coordinates and distances are expressed as Ohio State Plane Grid, South Zone, NAD 83(2011).

Robert C. Canter, P.S. 7226 Buckley Group, LLC.

Legal Description Pre-Approval APPROVED All transfers are subject to Athens County Conveyance Standards

OCT 07 2022

Jill Thompson Athens County Auditor

Description Checked for Mathematical Accuracy

DATE:

Athens City County Health Department Athens, Ohio 45701

