

## SOUTHEASTERN LAND SURVEYS

LEONARD F. SWOYER REGISTERED LAND SURVEYOR

Box 208A Route Five Athens, Ohio 45701 614/593-8701

Situated in the southwest quarter of Section 8, and the northwest quarter of Section 7, Town 5, Range 11, Troy Township, Athens County, Ohio and described as follows:

Commencing at a found stone the northeast corner of the southwest quarter of said Section 8; thence along the north property line of a 80.25 acre tract (deed) described in Volume 302, Page 388 of the Athens County Deed Records on an assumed bearing North 85 degrees 00 minutes 00 seconds West 1002.10 feet to a point (by deed); thence along the west-South 49 degrees 30 minutes 00 seconds erly property line of said tract West 429.00 feet (by deed) to a found stone on the westerly property line of said 80.25 acre tract; thence continuing along the westerly property line of said 80.25 acre tract South 10 degrees 15 minutes 00 seconds East 1110.25 feet to a found stone; thence continuing along the westerly property line of the said 80.25 acre tract South 48 degrees 30 minutes 00 seconds West 506.20 feet to a dead, 15 inch diameter, blazed Hickory tree; thence continuing along the westerly property line of said 80.25 acre tract South 38 degrees 00 minutes 00 seconds West 166.71 feet to a point in the center of State Route 144 and THE TRUE POINT OF BEGINNING; thence continuing along the westerly property line of said 80.25 acre tract South 38 degrees 00 minutes 00 seconds West (passing a set iron pin at 95.86 feet and 434.63 feet, also a set 1 inch galvanized pipe at 741.72 feet) for a total distance of 817.29 feet to a point in the Hocking River, said point was described as being the "Bank of the Hocking River" in Tract 1 Volume 302 Page 388 of the Athens County Deed Records; thence along the river estimating the old shore line South 62 degrees 39 minutes 01 seconds East 450.00 feet to a point on the south line of said Section 8; thence along the south line of said Section 8 North 86 degrees 02 minutes 08 seconds West 229.70 feet to a point in the Hocking River and described as the southerly shore of the Hocking River in Tract 3 Volume 302 Page 388 of the Athens County Deed Records; thence along the west line of said Tract 3 South 64 degrees 44 minutes 11 seconds East 689.72 feet to a point (witness a set iron pin on the existing south bank

19

SUBDIVISIONS

CONSTRUCTION

PROPERTY



## SOUTHEASTERN LAND SURVEYS

LEONARD F. SWOYER REGISTERED LAND SURVEYOR

Box 208A Route Five Athens, Ohio 45701 614/593-8701

of the Hocking River South 51 degrees 36 minutes 59 seconds West 117.54 feet); thence North 51 degrees 36 minutes 59 seconds East (passing a set iron pin off of the described property line on the east point of a lagoon at plus 194.28 feet and thence South 38 degrees 23 minutes 01 seconds East 37.08 feet also passing a set iron pin on line at 455.80 feet) for a total distance of 467.80 feet to a point in the center of State Route 144; thence along State Route 144 North 40 degrees 20 minutes 59 seconds West 496.60 feet to a point; thence North 36 degrees 09 minutes 04 seconds West 570.07 feet to the point of beginning containing 14.4793 acres there being 11.7959 acres in Section 8 and 2.6834 acres in Section 7. The acreage in Section 7 is further divided as being 0.4283 acres in Tract 2 and 2.2551 acres in Tract 3 of Volume 302 Page 388 of the Athens County Deed Records.

Note: All set iron pins are capped, 5/8 inch diameter rebar, 30 inches in length unless otherwise stated.

The above description was written by Leonard F. Swoyer Registered Land Surveyor Number 6765 and based on a survey prepared by Southeastern Land Surveys September 25, 1984.

Subject to all easements and right of ways of record.

20

**SUBDIVISIONS** 

