

DESCRIPTION OF 0.4719 ACRES

Situated in Section 16, Town 11, Range 14, Trimble Township, Athens County Ohio and being more particularly described as follows:

Commencing at the southeast corner of said Section 16; thence along a random line north 11° 40' 12" west 4263.31 feet to an iron pin set at the point of beginning of the tract herein described; thence south 64° 06' 35" west 100.00 feet to an iron pin set; thence north 25° 53' 25" west 211.10 feet to an iron pin set in the centerline of Township Road 315, passing an iron pin set at 170.74 feet; thence along the centerline of Township Road 315, north 70° 26' 30" east 100.61 feet to an iron pin set; thence leaving the said road south 25° 53' 25" east 200.00 feet to the point of beginning, passing an iron pin at 29.26 feet and containing 0.4719 acres

Prior Deed Reference: Volume 269, Page 463 Athens County Deed Records.

Prepared by: Evans, Mechwart, Hambleton & Tilton, Inc.

*August K. Wiest*  
Registered Surveyor #6535

Description checked for  
Mathematical Accuracy  
ATHENS COUNTY  
ENGINEER'S OFFICE

BY: *Charles M. ...*  
DATE: 6-30-83

18

TRM

566 16

TRM #16

DESCRIPTION OF 0.4974 ACRES

Situated in Section 16, Town 11, Range 14, Trimble Township, Athens County Ohio and being more particularly described as follows:

Commencing at the southeast corner of said Section 16; thence along a random line north  $12^{\circ} 68' 53''$  west 4239.86 feet to an iron pin set at the point of beginning of the tract herein described; thence south  $64^{\circ} 06' 35''$  west 100.00 feet to an iron pin set; thence north  $25^{\circ} 53' 25''$  west 222.19 feet to an iron pin set in the centerline of Township Road 315, passing an iron pin at 170.74 feet; thence along the centerline of Township Road 315 north  $70^{\circ} 26' 30''$  east 100.62 feet to an iron pin set; thence leaving the said Road south  $25^{\circ} 53' 25''$  east 211.10 feet, passing an iron pin set at 40.36 feet to the point of beginning containing 0.4974 acres. Prior Deed Reference: Volume 269, Page 463 Athens County Deed Records. Prepared by: Evans, Mechwart, Hambleton & Tilton, Inc.

August K. West  
Registered Surveyor #6535

Description checked for  
Mathematical Accuracy  
ATHENS COUNTY  
ENGINEER'S OFFICE

BY: Charles McKinney  
DATE: \_\_\_\_\_

19

## DESCRIPTION OF 0.5050 ACRES

Situated in Section 16, Town 11, Range 14, Trimble Township, Athens County Ohio and being more particularly described as follows:

Commencing at the southeast corner of said Section 16; thence along a random line north  $14^{\circ} 18' 19''$  west 4218.64 feet to an iron pin set at the point of beginning of the tract herein described; thence south  $64^{\circ} 06' 35''$  west 100.00 feet to an iron pin set; thence north  $25^{\circ} 53' 25''$  west 213.17 feet to an iron pin set in the centerline of Township Road 315, passing an iron pin set at 170.74 feet; thence along the centerline of Township Road 315 north  $55^{\circ} 35' 54''$  east 78.07 feet to an iron pin set; thence continuing along the road north  $70^{\circ} 26' 30''$  east 22.93 feet to an iron pin set; thence leaving the road south  $25^{\circ} 53' 25''$  east 222.19 feet, passing an iron pin set at 51.46 feet to the point of beginning and containing 0.5050 acres.

Prior Deed Reference: Volume 269, Page 463 Athens County Deed Records.

Prepared by: Evans, Mechwart, Hambleton & Tilton, Inc.

August K. Wright  
Registered Surveyor #6535

Description checked for  
Mathematical Accuracy  
ATHENS COUNTY  
ENGINEER'S OFFICE

BY: Charles M. Moneys  
DATE: 6-30-83

20

## DESCRIPTION OF 0.4725 ACRES

Situated in Section 16, Town 11, Range 14, Trimble Township, Athens County Ohio and being more particularly described as follows:

Commencing at the southeast corner of said Section 16; thence along a random line north  $15^{\circ} 38' 31''$  west 4199.70 feet to an iron pin set at the point of beginning of the tract herein described; thence south  $64^{\circ} 06' 35''$  west 100.00 feet to an iron pin set; thence north  $25^{\circ} 53' 25''$  west 200.74 feet to an iron pin set in the centerline of Township Road 315, passing an iron pin set at 170.74 feet; thence along the said road north  $67^{\circ} 37' 30''$  east 12.03 feet to an iron pin set; thence continuing along said road north  $55^{\circ} 35' 54''$  east 88.97 feet to an iron pin set; thence leaving the road south  $25^{\circ} 53' 25''$  east 213.17 feet, passing an iron pin set at 42.43 feet to the point of beginning and containing 0.4725 Acres

Prior Deed Reference: Volume 269, Page 463 Athens County Deed Records;

Prepared by: Evans, Mechwart, Hambleton & Tilton, Inc

August. Wirt  
Registered Surveyor #6535

Description checked for  
Mathematical Accuracy  
ATHENS COUNTY  
ENGINEER'S OFFICE

BY: Charles Morney  
DATE: 6-30-83

21

## DESCRIPTION OF 5.0000 ACRES

Situated in Section 16, Town 11, Range 14, Trimble Township, Athens County Ohio and being more particularly described as follows:

Commencing at the southeast corner of said Section 16; thence along a random line north  $24^{\circ} 13' 24''$  west 3663.37 feet to an iron pin set at the point of beginning of the tract herein described; thence north  $0^{\circ} 18' 25''$  east 762.47 feet to an iron pin set in the centerline of Township Road 315, passing an iron pin set at 732.47 feet; thence along the centerline of said road north  $67^{\circ} 37' 30''$  east 204.40 feet; thence leaving the road south  $25^{\circ} 53' 25''$  east 200.74 feet to an iron pin set, passing an iron pin set at 30.00 feet; thence south  $00^{\circ} 18' 25''$  west 661.18 feet to an iron pin set; thence north  $89^{\circ} 41' 35''$  west 277.21 feet to the point of beginning and containing 5.000 acres

Prior Deed Reference: Volume 269, Page 463 Athens County Deed Records.

Prepared by: Evans, Mechwart, Hambleton & Tilton, Inc.

August W. Wright  
Registered Surveyor #6535

Description checked for  
Mathematical Accuracy  
ATHENS COUNTY  
ENGINEER'S OFFICE

BY: Charles M. Mone  
DATE: 6-30-83

22

DESCRIPTION OF 5.0000 ACRES

Situated in Section 16, Town 11, Range 14, Trimble Township, Athens County Ohio and being more particularly described as follows:

Commencing at the southeast corner of Said Section 16, thence along a random line north  $24^{\circ} 13' 24''$  west 3663.37 feet to an iron pin set at the point of beginning of the tract herein described; thence north  $89^{\circ} 41' 35''$  west 262.66 feet to an iron pin set; thence north  $00^{\circ} 18' 25''$  east 882.58 feet to an iron pin set in the centerline of Township Road 315 passing an iron pin set at 852.58 feet; thence along the centerline of said road south  $82^{\circ} 41' 18''$  east 11.20 feet to an iron pin set; thence continuing along said road south  $73^{\circ} 49' 36''$  east 97.38 feet to an iron pin set; thence continuing along said road south  $56^{\circ} 03' 12''$  east 175.30 feet to an iron pin set; thence continuing along said road north  $67^{\circ} 37' 30''$  east 12.93 feet to an iron pin set; thence leaving said road south  $00^{\circ} 18' 25''$  west 762.47 feet, passing an iron pin set at 30.00 feet to the point of beginning containing 5.0000 acres.

Prior Deed Reference: Volume 269, Page 463 Athens County Deed Records.

Prepared by: Evans, Mechwart, Hambleton & Tilton, Inc.

*August K. West*  
Registered Surveyor #6535

Description checked for  
Mathematical Accuracy  
ATHENS COUNTY  
ENGINEERING OFFICE

BY *Charles M. Tracy*  
DATE *6-30-83*

23



## DESCRIPTION OF 5.0000 ACRES

Situated in Section 16, Town 11, Range 14, Trimble Township, Athens County Ohio and being more particularly described as follows:

Commencing at the southeast corner of said Section 16; thence along a random line north  $31^{\circ} 02' 03''$  west 3902.10 feet to an iron pin set at the point of beginning of the tract herein described; thence north  $89^{\circ} 41' 35''$  west 257.46 feet to an iron pin set; thence north  $0^{\circ} 18' 25''$  east 919.66 feet to an iron pin set in the centerline of Township Road 315 passing an iron pin set at 889.66 feet; thence along the centerline of said road south  $36^{\circ} 13' 30''$  east 134.59 feet to an iron pin set; thence continuing along said road north  $74^{\circ} 12' 24''$  east 184.58 feet to an iron pin set; thence leaving said road south  $00^{\circ} 18' 25''$  west 862.69 feet passing an iron pin set at 30.00 feet to the point of beginning containing 5.0000 acres.

Prior Deed Reference: Volume 269, Page 463 Athens County Deed Records.

Prepared by: Evans, Mechwart, Hambleton & Tilton, Inc.

*Lucy K. White*  
Registered Surveyor #6535

Description checked for  
Mathematical Accuracy  
ATHENS COUNTY  
ENGINEER'S OFFICE

BY: *Charles McAney*  
DATE: *6-30-83*

25

## DESCRIPTION OF 5.0000 ACRES

Situated in Section 16, Town 11, Range 14, Trimble Township, Athens County Ohio and being more particularly described as follows:

Commencing at the southeast corner of said Section 16; thence along a random line north  $36^{\circ} 44' 05''$  west 4175.30 feet to an iron pin set at the point of beginning of the tract herein described; thence north  $00^{\circ} 18' 25''$  east 940.14 feet to an iron pin set in the centerline of Township Road 315 passing an iron pin set at 910.14 feet; thence along the centerline of said road north  $59^{\circ} 10' 16''$  east 9.75 feet to an iron pin set; thence north  $82^{\circ} 40' 49''$  east 184.36 feet to an iron pin set; thence continuing along said road south  $36^{\circ} 13' 30''$  east 62.21 feet to an iron pin set; thence leaving the said road south  $00^{\circ} 18' 25''$  west 919.66 feet to an iron pin set, passing an iron pin set at 30.00 feet; thence north  $89^{\circ} 41' 35''$  west 228.12 feet to the point of beginning and containing 5.0000 acres.

Prior Deed Reference: Volume 269, Page 463 Athens County Deed Records.

Prepared by: Evans, Mechwart, Hambleton & Tilton, Inc.

*August K. Wurst*  
Registered Surveyor #6535

Description checked for  
Mathematical Accuracy  
ATHENS COUNTY  
ENGINEER'S OFFICE

BY: *Charles M. Moberg*  
DATE: *6-30-83* *26*

## DESCRIPTION OF 5.0000 ACRES

Situated in Section 16, Town 11, Range 14, Trimble Township, Athens County Ohio and being more particularly described as follows:

Commencing at the southeast corner of said Section 16; thence along a random line north  $36^{\circ} 44' 05''$  west 4175.30 feet to an iron pin set at the point of beginning of the tract herein described; thence north  $89^{\circ} 41' 35''$  west 252.08 feet to an iron pin set; thence north  $00^{\circ} 18' 25''$  east 787.85 feet to an iron pin set in the centerline of Township Road 315 passing an iron pin set at 757.85 feet; thence along the centerline of Township Road 315 north  $59^{\circ} 10' 16''$  east 294.51 feet to an iron pin set; thence leaving the road south  $00^{\circ} 18' 25''$  west 940.14 feet to an iron pin set, passing an iron pin set at 30.00 feet to the point of beginning and containing 5.0000 acres.

prior Deed Reference: Volume 269, Page 463 Athens County Deed Records.

Prepared by: Evans, Mechwart, Hambleton & Tilton, Inc.

*Gregory K. Winters*  
Registered Surveyor #6535

Description checked for  
Mathematical Accuracy  
ATHENS COUNTY  
ENGINEER'S OFFICE

BY: *Charles M. [unclear]*  
DATE: 6-30-83

27

DESCRIPTION OF 0.5184 ACRES

Situated in Section 16, Town 11, Range 14, Trimble Township, Athens County Ohio and being more particularly described as follows:

Commencing at the southeast corner of said Section 16; thence along a random line north  $11^{\circ} 40' 12''$  west 4263.31 feet to an iron pin set at the point of beginning of the tract herein described; thence north  $25^{\circ} 53' 25''$  west 200.00 feet to an iron pin set in the centerline of Township Road 315, passing an iron pin set at 180.74 feet; thence along the centerline of Township Road 315 south  $86^{\circ} 33' 12''$  east 166.80 feet; thence continuing along said road south  $21^{\circ} 19' 01''$  east 118.65 feet; thence leaving the said road south  $64^{\circ} 06' 35''$  west 135.95 feet to the point of beginning containing 0.5184 acres.

Prior Deed Reference: Volume 269, Page 463 Athens County Deed Records.

Prepared by: Evans, Mechwart, Hambleton & Tilton, Inc.

*William K. Wright*  
Registered Surveyor #6535

Description checked for  
Mathematical Accuracy  
ATHENS COUNTY  
ENGINEER'S OFFICE  
BY: *Charles McKinney*  
DATE: *6-30-83*

*28*

